

MARYLAND MEDICAL JOURNAL

A WEEKLY JOURNAL OF
MEDICINE AND SURGERY

AF SCHULZ BALTO

VOLUME XXXVI. NO. 7
WHOLE NO. 818

BALTIMORE, NOVEMBER 28, 1896.

\$3.00 A YEAR
10 cts. A COPY

THIS JOURNAL IS ENTERED AT THE POSTOFFICE AT BALTIMORE, MARYLAND, AS SECOND-CLASS MATTER.

CONTENTS.

ORIGINAL ARTICLES.

- The Practical Use of Skiascopy. By H. O. Reik, M. D., Baltimore. . . 109
Treatment of Laryngeal Diphtheria. By Edward Anderson, M. D., Rockville, Md. . . 111
Bowel Obstruction by a Gall-Stone, Simulating Appendicitis. By J. H. Hardcastle, M. D., Cecilton, Md. . . 112

SOCIETY REPORTS.

- Baltimore Medical Association. Meeting held October 12, 1896. A Narrow Escape from Death during Chloroform Narcosis. . . 114

MEDICAL PROGRESS.

- Report of Progress in Diseases of the Eye. By Hiram Woods, Jr., M. D., Baltimore.—Senile Endometritis and Vaginitis.—Insomnia and Gastro-Intestinal Disease.—Pregnancy and Labor Complicated by Uterine Fibroid Tumors.—Hematoma of the Vulva after Nor-

MEDICAL PROGRESS.—CONTINUED.

- mal Labor.—Viburnum Prunifolium as a Prophylactic against Abortion.—Puerperal Eclampsia.—Osteomalacia Cured by Oophorectomy. . . 115

OBITUARY.

- Philip C. Williams. . . 121

EDITORIAL.

- Therapeutic Nihilism. . . 122
Lessons from a Sad Coincidence. . . 123
Municipal Diagnosis. . . 123

MEDICAL ITEMS.

- . . . 124

BOOK REVIEWS.

- . . . 125

CURRENT EDITORIAL COMMENT.

- . . . 125

PUBLISHERS' DEPARTMENT.

- . . . 126

"IN ANAEMIA I GIVE
ARSENAURO
BECAUSE
IT PRODUCES RESULTS WHICH I
CANNOT OBTAIN FROM IRON
IN ANY FORM"

CHARLES ROOME PARMELE CO
36 PLATT STREET, New York,

Diphtheria Antitoxin (Roux—INSTITUT PASTEUR, PARIS)

REGULAR SERUM contains 2000 Ehrlich units per vial of 10 c. c. EXTRA SERUM, 3000 units per vial of 10 c. c.

Streptococcus Antitoxin (Marmorek—INSTITUT PASTEUR, PARIS)

For the treatment of Erysipelas, Septicemia and all conditions arising from streptococcic infection.

Tetanus Antitoxin (INSTITUT PASTEUR, PARIS)

For the prevention and cure of Tetanus.

Venomous Antitoxin (Calmette)

Specific for snake poison.

Antitubercle Serum (Paquin)

This serum has been successfully used in the treatment of Tuberculosis by more than 100 American physicians.

Artificial Serum (Cheron)

General Tonic and Blood Renewer.

PASTEUR VACCINE COMPANY, Ltd.

(UNITED STATES AND CANADA)

56 FIFTH AVENUE, CHICAGO

HYNSON, WESTCOTT & CO., Baltimore, Md., Agents.

"Without wishing to even question the possible advantages of anti-septic treatment in many cases of excessive intestinal fermentation, I am, however, inclined to lay special stress upon the influence of diet in such disorders. Everything else being equal, it is obvious that the more digestible the food-stuffs ingested, the less tendency there will be for intestinal fermentation. On the other hand, the accumulation of difficultly digestible material in the intestinal tract affords one of the best possible conditions favorable for putrefaction."

Chittenden — "Intestinal Fermentation."

Peptonised Milk prepared with Fairchild's Peptonising Tubes is a perfectly digestible and absorbable food. Its use precludes all accumulation of unassimilable matter in the intestinal tract.

FAIRCHILD BROS. & FOSTER,

NEW YORK.

*Uniformly Effective, Agreeable and Lasting,—the
Standard Preparation of Erythroxyton Coca*

During past 30 years
most popularly used
Tonic-Stimulant in
Hospitals, Public and
Religious Institutions
everywhere.

**VIN
MARIANI**

"MARIANI WINE"

We have received
over 7000 written
endorsements from
PROMINENT PHYSI-
CIANS in Europe and
America.

FORMULA: The concentrated extract—the aromatic principle of the fresh Coca Leaf,
blended with a special quality of grape juice of southern France.

DOSE: Wine-glassful three times a day, or more or less at Physician's discretion.

Nourishes - Fortifies - Refreshes
AIDS DIGESTION - STRENGTHENS THE SYSTEM

AGREEABLE TONIC-STIMULANT WITHOUT UNPLEASANT REACTION.

To avoid disappointment please specify "Vin Mariani."

SOLD AT ALL PHARMACIES.

PARIS: 41 Boulevard Haussmann.
LONDON: 239 Oxford Street.
MONTREAL: 28 Hospital Street.

MARIANI & CO., 52 W. 15th St., New York.



Old Age and Youth

both derive great and immediate
benefit from

ANHEUSER-BUSCH'S
Malt-Nutrine
TRADE MARK.


—the food drink. It is a tonic and
vitalizer for all ages and a wonderful
flesh producer. Invaluable to nursing
mothers and sufferers from wasting
diseases. Endorsed by the medical
profession.

For sale by all druggists.

Prepared by

ANHEUSER-BUSCH BREWING ASS'N, St. Louis, U. S. A.

Send for handsomely illustrated colored booklets and other reading matter.



BARTHOLOMAY BREWING CO.

ROCHESTER, N. Y.

ANALYSIS: —

By PROF. LATTIMORE,
Professor of Chemistry at the University
of Rochester, New York.

The result of the Analysis, expressed in percentages by weight,
is as follows:

Specific Gravity	10 11	Alcohol	5.30
Extract	3.95	Maltrose	0.51
Dextrine	2.70	Albuminoids	0.35
Lactic Acid	0.12	Ash	0.18
Phosphoric Acid	0.02	Water	90.76

The analysis gave no indication that in the manufacture of this Beer any other substances had been used than Malt, Hops, Yeast and Water.

S. A. LATTIMORE.

None Genuine unless having our
Label and Trade Mark.

Baltimore Branch Office and Depot,

227 to 239 S. CENTRAL AVENUE, Baltimore, Md.

TELEPHONE 1060.

GEO. C. SUCRO, MANAGER.

The Chas. Willms Surgical Instrument Co.,

MANUFACTURERS,
IMPORTERS AND
DEALERS IN

FINE SURGICAL INSTRUMENTS.

ESTABLISHED 1869.

Deformity

Apparatus,

Elastic

Hosiery,

Trusses,

Bandages, etc.




Physicians',
Surgeons',
Hospital and
Invalid
Supplies.

Fine
Microscopes
and
Accessories.

All the Latest Novelties and Improvements Supplied upon Short Notice. Competent Ladies' Assistant

No. 300 N. HOWARD STREET, Baltimore, Md.

Illustrated Catalogue, over 500 pages, sent Free upon Application.



SIR ASTLEY COOPER.

It is a universal healer. Its field of usefulness is any degree or kind is present.

We simply ask a fair trial of our preparation. Judge it by what it does—not by what is said about it. We shall be glad to send a sample free to any physician, upon request, together with clinical reports and an autobiography of Sir Astley Cooper, the originator of the working formula.

NORWICH PHARMACAL CO., Norwich, N. Y.

NEW YORK OFFICE, 140 William St., Cor. Fulton.
BOSTON OFFICE, 620 Atlantic Avenue.

WHAT WE BELIEVE

We prepare what we believe to be the very best Surgical Dressing in the world. We realize that this is a broad statement. We realize that our advertisements are addressed to the most intelligent and progressive professional men of today. We ask these surgeons and physicians to remember, however, that every preparation has to fight its way into notice and favor. The only way for us to inform the profession about our Surgical Dressing is to use the advertising pages of the best class papers. That is why we appear here. We call our preparation

UNGUENTINE

The ingredients used are Alum, Carbolic Acid and Ichthyol, combined with a pure petrolatum base. This is the modified formula of Sir Astley Cooper.

From the alum we eliminate all the irritating properties. The method we follow in the treatment of Alumina Salt is known only by us. It is this exclusive knowledge that imparts such marked healing qualities to Unguentine.

UNGUENTINE is without acidity. It never grows rancid. When you want it, it is ready. It is thoroughly antiseptic. Frequently it leaves no scar tissue. It is indicated wherever inflammation of

Vaginal Antiseptic

In

CASES OF

Leucorrhea

and kindred diseases, the presence of the peculiarly ACID Germs will suggest the efficacy of an ALKALINE remedy.

Tyree's Antiseptic Powder

is an Alkaline Specific originated exclusively for the cure of Female Genital Disorders. It contains Biorate of Sodium, Alumen, Carbolic Acid, Glycerin, Thyme, Eucalyptus, Gaultheria, and Mentha. A teaspoonful to one pint of water. It is absolutely harmless, has no toxic effect, and quickly overcomes the most stubborn cases.

War Department, Surgeon-General's Office,
Washington, D. C., Jan. 3, 1890.

This is to certify that the exact Antiseptic strength of "TYREE'S PULV. ANTISEPTIC LUMP" is one part of the powder to fifty of water (1 : 50). Test tubes containing peptonized beef broth were charged with the powder. Tyree's Antiseptic Powder. The solutions were then inoculated with the *Anthrax Bacillus*, and with the *Staphylococcus of Pus*, and the tubes placed in the incubator for 48 hours, at a temperature of 39° C. On removing the tubes from the incubator, it was found that in the solutions of one in ten, to one in fifty, there was no development of bacteria.

W. M. GRAY, M.D.,
Microscopist to Army Medical Museum.

1/2 lb. box by mail, 75c.
Money refunded if it
fails to relieve.

J. S. TYREE
Chemist
WASHINGTON, D. C.

Established 1780.

Walter Baker & Co., Ltd.

DORCHESTER, MASS.,

The Oldest and Largest Manufacturers
.. of ..



PURE, HIGH GRADE COCOAS AND CHOCOLATES

on this Continent.

No Chemicals are used in their manufactures.

Baron von Liebig says Cocoa Preparations of good quality agree with dry temperaments and convalescents; with mothers who nurse their children; with those whose occupations oblige them to undergo severe mental strains; with public speakers, and with all those who give to work a portion of the time needed for sleep.

Buyers should ask for and be sure that they get the genuine

Walter Baker & Co.'s

goods, made at
DORCHESTER, MASS.

CHIONIA

THE HEPATIC STIMULANT

Is prepared from *Chionanthus Virginica*, for physicians' prescriptions, and has been proven *the remedy* for *Biliousness, Jaundice, Dyspepsia, Constipation*, and all diseases caused by *Hepatic Torpor*.

Its action is that of an hepatic stimulant, and not that of a cathartic. It does not purge, *per se*, but under its use the Liver and Bowels gradually resume their normal functions.

Dose—One to two fluid drachms, three times a day.

PEACOCK'S BROMIDES,

THE IDEAL SEDATIVE

Is prepared exclusively for physicians' prescriptions, each fluid drachm representing 15 grains of combined *chemically pure* Bromides of Potassium, Sodium, Calcium, Ammonium and Lithium. It is indicated in *Uterine Congestion, Headache, Epilepsy*, and all *Congestive, Convulsive and Reflex Neuroses*.

It is *absolutely uniform* in purity and therapeutic power, and can always be relied upon to produce clinical results which can not possibly be obtained from the use of commercial bromide substitutes.

Dose—One to two fluid drachms in water, three times per day.

A full size half-pound bottle of each FREE to any physician who will pay express charges.

PEACOCK CHEMICAL COMPANY,
ST. LOUIS, MO.

SENG, CACTINA PILLETS.

THE DIGESTIVE SECERNENT.

ACTIVE CONSTITUENTS OF PANAX SCHINSENG
(MANCHURIA) IN AN AROMATIC ESSENCE.

For *Indigestion and Malnutrition.*

Specially indicated in Phthisis and
all Wasting Diseases.

Dose—One or more teaspoonfuls three times a day. For babies, ten to fifteen drops during each feeding.

INDICATED IN

ABNORMAL **HEART** ACTION.

GIVEN WITH ANTIPYRETICS
TO PREVENT CARDIAC DEPRESSION.

Each pillet represents one one-hundredth of a grain of Cactina—the active proximate principle of Cactus Mexicana.

Dose—One Pillet every hour, or less often, as indicated.

Samples sent to any Physician who will pay Express Charges.

SULTAN DRUG CO., St. Louis and London.

Oakland Hydrogen Dioxide

is a stable, pure solution of $H_2 O_2$, made in accordance with U. S. Pharmacopoeia requirements, and thoroughly reliable for all medicinal purposes. It is free from pressure upon opening bottle and retains its strength from four to six months, corked or uncorked.

In DIPHTHERIA, ULCERATIVE PROCESSES, NOSE and THROAT affections, BURNS, LEUCORRHOEA, and in all cases where a non-irritating antiseptic is indicated it is of surpassing value.

Sample and monograph containing full instructions for use, free on receipt of 15c. to prepay express charges.

The Oakland Chemical Co.

465 & 467 WEST BROADWAY,
NEW YORK. ❀❀❀

LISTERINE. THE STANDARD ANTISEPTIC.

LISTERINE is to make and maintain surgical cleanliness in the antiseptic and prophylactic treatment and care of all parts of the human body.

LISTERINE is of accurately determined and uniform antiseptic power, and of positive originality.

LISTERINE is kept in stock by all worthy pharmacists everywhere.

LISTERINE is taken as the standard of antiseptic preparations: The imitators all say, "It is something like LISTERINE."

**LAMBERT'S
LITHIATED
HYDRANGEA.**

A valuable Renal Alterative and Anti-Lithic agent of marked service in the treatment of Cystitis, Gout, Rheumatism, and diseases of the Uric Diathesis generally.

DESCRIPTIVE LITERATURE UPON APPLICATION.

LAMBERT PHARMACAL COMPANY, ST. LOUIS.

"WELL PREPARED!! NUTRITIOUS!! EASILY DIGESTED!!"
 HIGHEST AWARDS WHEREVER EXHIBITED THE WORLD'S COLUMBIAN COMMISSION.

IMPERIAL GRANUM

THIS STANDARD PREPARED

FOOD

IS EARNESTLY RECOMMENDED as a most reliable FOOD for INFANTS, CHILDREN and Nursing-Mothers;—for INVALIDS and Convalescents;—for Delicate and Aged persons. It is not a stimulant nor a chemical preparation; but a PURE, unsweetened FOOD carefully prepared from the finest growths of wheat, ON WHICH PHYSICIANS CAN DEPEND in FEVERS and in all gastric and enteric diseases. It is easily digested, nourishing and strengthening, assists nature, never interferes with the action of the medicines prescribed, and IS OFTEN THE ONLY FOOD THE STOMACH CAN RETAIN.

SEEMS TO HOLD FIRST PLACE IN THE ESTIMATION OF MEDICAL OBSERVERS.—*"The Feeding of Infants," in the New York Medical Record.*

A good and well made powder of pleasant flavour. CONTAINS NO TRACE OF ANY IMPURITY.—*The Lancet, London, Eng.*

A valuable aid to the physician in the treatment of all the graver forms of gastric and enteric diseases.—*The Prescription.*

As a food for patients recovering from shock attending surgical operations IMPERIAL GRANUM stands pre-eminent.—*The International Journal of Surgery, New York.*

Not only palatable, but very easily assimilated.—*The Trained Nurse, New York.*

IMPERIAL GRANUM is acceptable to the palate and also to the most delicate stomach at all periods of life.—*Annual of the Universal Medical Sciences, Philadelphia, Penna.*

Highly recommended and endorsed by the best medical authorities in this country.—*North American Practitioner, Chicago, Ills.*

It has acquired a high reputation, and is adapted to children as well as adults—in fact, we have used it successfully with children from birth.—*The Post Graduate Journal.*

The results attending its use have been very satisfactory.— * * * M.D., in *New York State Medical Reporter.*

Especially valuable in fevers, and often the only food the stomach will tolerate in many gastric and enteric diseases.—*Dominion Medical Monthly, Toronto.*

IMPERIAL GRANUM has stood the test of many years, while many competing foods have come and gone, and have been missed by few or none. But it will have satisfactory results in nutrition far into the future, because it is based on merit and proven success in the past.—*The Pharmaceutical Record, N. Y.*

★ 'Physician's-samples' sent free, post-paid, to any physician—or as he may direct. ★
 JOHN CARLE & SONS, Wholesale Druggists, 153 Water Street, NEW YORK CITY, N. Y.

DIOVIBURNIA

**A POWERFUL UTERINE TONIC ANTISPASMODIC AND ANODYNE
THE RELIABLE AND TRUSTWORTHY REMEDY FOR THE RELIEF OF DYSMENORRHOEA
AMENORRHOEA, MENORRHAGIA, LEUCORRHOEA, SUBINVOLUTION, THREATENED
ABORTION, VOMITING IN PREGNANCY AND CHLOROSIS. DIRECTING ITS
ACTION TO THE UTERINE SYSTEM; AS A GENERAL TONIC AND ANTISPASMODIC
UNEXCELLED.**

OUR LATE TREATISE ON FEMALE DISEASES

EMBRACING CONTRIBUTIONS FROM THE MOST ABLE GYNECOLOGISTS, WITH FINE COLORED
LITHOGRAPHS OF THE UTERUS AND APPENDAGES, AS WELL AS CEREBRAL LOCALIZATION CHARTS
AND FORMULA, WITH OTHER INFORMATION, MAILED ON APPLICATION.

**TO THE PROFESSION ONLY, WHO ARE UNACQUAINTED WITH OUR PRODUCTS,
"DIOVIBURNIA" "NEUROSINE" AND "SENNINE," WE WILL FURNISH SAMPLE
FREE, THEY PAYING EXPRESS CHARGES.**

DIOS CHEMICAL CO., ST. LOUIS, MO., U.S.A.

THE RICHARD GUNDRY HOME

CATONSVILLE, MD.

able. The Home is conducted by Mrs. Dr. Richard Gundry and Dr. R. F. Gundry. For further information, address DR. R. F. GUNDRY, Box 107 Catonsville, Md., or 1E Centre St., Baltimore, Md.
*Consulting Physicians: Dr. Henry M. Hurd, Supt. Johns Hopkins Hospital; Professors Thomas Osple and Geo. J. Preston, Baltimore, Md.; Dr. C. G. W. Macgill, Catonsville; Professor C. H. Rohé, Maryland Hospital, Catonsville, Md. References: Dr. Wm. Osler, Physician in chief Johns Hopkins Hospital; Dr. John B. Chapin, Pennsylvania Hospital for Insane, Philadelphia, Pa.; Dr. W. W. Godding, Government Hospital, Washington, D. C.; Francis White, Esq., and Gilmer Meredith, Esq., Baltimore, Md.

A Private Institution for the treatment of Mental and Nervous Diseases and selected cases of Opium and Alcohol habits. Home comforts, Beautiful Grounds, 600 feet above tide water. Terms Reasonable.

When the Pyramids Were Built

Castor Oil was an old and well-known Laxative.

Its value has *never* been disputed. Its repulsive taste is the terror of every child.

We have robbed it of this one objection.

Laxol is literally as palatable as honey. Send for a free sample and be convinced.

A. J. WHITE, 30 Reade Street, New York.

PHILLIPS' EMULSION

OF COD LIVER OIL

Insures to the patient 50 per cent. finest Norway oil (chemically unchanged) in minute subdivision, combined with the tonic Wheat Phosphates.

Its acid reaction favors osmosis and also precludes the saponification largely exhibited in the alkaline emulsions with the Hypophosphites of Lime and Soda.

PALATABLE—PERMANENT.

A marked advance over the plain oil that is so disgusting and difficult of assimilation.

The "Just as good" fiends are now pirating upon the preparation of

PHILLIPS' PHOSPHO-MURIATE OF QUININE

COMPOUND,

—a medicinal agent originated and introduced many years since by this Company, and with a reputation because of its character and efficiency, the exactness and care of its preparation and consequently in perfect uniformity and reliability.

To avoid disappointing results, prescribe, and look to it that the patient receives, PHILLIPS'. This easily appropriated Compound of the *Soluble Wheat Phosphates*, with *Muriate of Quinine*, *Iron* and *Strychnia*, is particularly indicated in most conditions of malnutrition, and such exhibition of *Phosphatic* deficiency as *glandular enlargements*, *scrofulosis*, *imperfect bone formation*, or *impairment of the central nervous system*.

DIGESTIBLE COCOA.
WHEAT PHOSPHATES.
MILK OF MAGNESIA.

THE CHAS. H. PHILLIPS CHEMICAL CO., 77 Pine St., New York.

RESINOL

(R : *Unguentum Resinol.*)

An absolutely reliable

Anti-pruritic, Local Antipyretic,

Emollient and Skin Nutrient.

RESINOL, by promptly dissipating capillary hyperæmia, has established itself as the best local application in Erysipelas and other forms of Dermatitis, and as the remedy *par excellence* in all eruptions and irritations of the skin, as Eczema, Herpes, Acne, Psoriasis, Seborrhœa, Tinea Capitis, Inertrigo, Sunburn, Eruption of Poison Oak, Burns and Scalds, etc. Stops the itching of Pruritus Ani or Vulvæ, Itching Piles, Marginal Eczema, etc., instantaneously, and immediately subdues the fiery inflammation of Vulvitis, Balanitis, etc.

RESINOL is a harmless antiseptic and a true skin anæsthetic, absolutely non-irritant and non-toxic (free from lead, mercury, or cocaine), can be applied to mucous, excoriated or denuded surfaces of any extent at any age without fear of untoward results, and is not contra-indicated by any internal medication that may be deemed advisable.

OPINIONS FROM THE PROFESSION.

From H. S. CUNNINGHAM, M. D., *Prof. of Gynecology and Clin. Dis. of Women, Amer. Med. Col., Indianapolis, Ind.*: "I have been delighted with the action of RESINOL in Pruritus Vulvæ, Tinea Capitis, etc."

From F. G. WELCH, M. D., *New York City*: "For Senile Eczema, especially with Pruritus, RESINOL is the best application I have found in twenty-five years' practice."

From W. J. BRANDT, M. D., *Brooklyn, N. Y.*: "Surely in your preparation, RESINOL, you have a most wonderful antipruritic remedy. I have used

it upon myself and my relief has been complete and absolute."

From E. S. HOYT, M. D., *Specialist, Rectal Diseases, New York City*: "RESINOL is one of the best local anti-phlogistic remedies I have ever used. It subdues the intense inflammation in Strangulated Hemorrhoids in a very short time."

From H. S. DWIGHT, M. D., *Philadelphia, Pa.*: "In the various skin affections arising from high temperature in mills where operatives are exposed, I have found RESINOL admirable. I have also used it with good results in Chafing, Scrotal Eczema and Vulvitis."

RESINOL is put up in one ounce jars at 50 cts. each, and can be obtained at any drug store.

Sample sent free on application, or one regular size jar for trial on receipt of 25 cents.

RESINOL CHEMICAL CO., Baltimore, Md.

MARYLAND MEDICAL JOURNAL

A Weekly Journal of Medicine and Surgery.

VOL. XXXVI.—No. 7. BALTIMORE, NOVEMBER 28, 1896. WHOLE No. 818

Original Articles.

THE PRACTICAL USE OF SKIASCOPY.

By H. O. Reik M. D.,

Assistant Surgeon Baltimore Eye, Ear and Throat Charity Hospital, and Assistant in Ophthalmology and Otology at the Johns Hopkins Hospital.

READ AT THE SEMI-ANNUAL MEETING OF THE MEDICAL AND CHIRURGICAL FACULTY OF MARYLAND,
HELD AT HAGERSTOWN, MARYLAND, NOVEMBER 10 AND 11, 1896.

I DESIRE to call the attention of the society to this aspect of the subject because I fear we have been too much inclined in the past to treat it as of scientific and theoretical value rather than of practical service. It is not surprising that this is so, for most of our text-books have spoken of the method very briefly and given such poor explanations of its use that if one simply followed their directions, discouraging results were apt to be the issue.

Within a comparatively recent time, however, careful attention has been given to the principles involved in the test, and the essential details of its use so developed, that anyone who is willing to give it close attention for a short while can easily become the master of it and to do this is to become an earnest advocate of its use.

Dr. Edward Jackson of Philadelphia has perhaps done more than anyone else to make this method of examination a perfect one, and to succeed with it, it is only necessary to follow strictly the directions laid down in his monograph "Skiascopy," which was published last year. The points that Dr. Jackson lays particular stress upon are, the use of a perfect mirror with small sight hole,

a small point of light and an otherwise darkened room.

I have here a chimney, devised by Dr. Thorington, which secures control of the light very nicely. It is, however, more elaborate than necessary. With this over an ordinary Argand gas burner no light escapes to interfere with the examination, and by revolving the disk either a small or large point of light, as desired, may be obtained. A small point of light falling directly upon the mirror gives the best source of illumination for accurate work. The mirror may be either plane or concave, but should be a perfect one with a small opening, the edges of which give forth no reflections.

That skiascopy is in all respects the best of the several objective tests for refraction is, I think, beyond question, and for a comparison of the different methods and a summing up of their respective values, I would refer you to the report of the special committee on this subject, which was made at the 1894 meeting of the American Medical Association, and which is to be found in the *Journal of the American Medical Association*, Vol. xxiii, pages 337 to 342.

This committee reported in favor of

the use of ophthalmoscopy, ophthalmometry and skiascopy in all cases, but said of skiascopy, "It is, on the whole, the most accurate and reliable objective method of estimating ametropia. It measures the total refraction of the eye, whether this be static refraction or the refraction by accommodation. Applied in the direction of the macula, it measures in the visual zone exactly the refraction that is measured by the subjective method. . . . For eyes having a distinct and sufficiently extended visual zone, it is accurate to within one-eighth of 1 D."

These claims for accuracy are made by men who have used the method a long time, and who are all careful observers. I have frequently been able to decide between astigmatic glasses differing only one-eighth of 1 D., and astigmatism of one quarter diopter is very readily determined. Such exactness can hardly be claimed for any other method of examination.

One of the most difficult points I had to contend with, before I began to use this method, was the determining of the exact axis of my correcting cylinder lens, in astigmatism. With the use of test letters intelligent persons will often give hesitating replies when asked to decide which gives them the best vision, the glass with its axis held at 75° or at 90° , or even when greater variations than 15° are made; or, what is perhaps worse, the patient will give conflicting statements at different sittings, or at different moments during the same sitting, although you know they are making an honest effort to decide rightly. In such cases I have derived the greatest help from skiascopy.

The meridian of astigmatism and the axis at which the correcting cylinder should be placed can be determined so exactly as to leave no doubt in the examiner's mind. This is done promptly

and without any assistance from the patient.

Again, it is often difficult to say whether it is best to make a spherical glass an eighth or quarter diopter stronger and the cylinder as much weaker, or, *vice versa*, for the patient reads equally as well with the one combination as with the other and the astigmatic lines give you little or no help. I question whether we are doing right to ask or permit the patient to decide such points in most cases. But few of our patients are capable of appreciating such fine distinctions and the majority are more than liable to make the wrong selections.

By this method the responsibility of a decision is made to rest where it belongs, upon the physician, and he should certainly be willing to accept it, for the blame of an ill-fitting glass will sooner or later fall upon him. In difficult cases aid of the axinometer may be called into use and then it is only in rare cases that the examiner will hesitate in deciding the exact meridian of astigmatism.

I have said nothing about the special advantage of this method in examining children, nervous individuals and illiterates, partly because such advantages are so palpable and partly because I advocate the use of the method in all cases where ametropia is suspected. As to the amount of time consumed, I think it will be found that while perhaps more time is necessary to the first examination, a smaller number of visits on the whole will have been made. This is of particular importance in our hospital work, and I am sure that the saving of time there is very considerable.

In conclusion, the ease with which this method may be applied and the certainty of the results obtained make it applicable to every case of refraction and I would strongly recommend its use as a part of our routine practice.

HYSTERICAL ACHILLODYNIA. — Dr. C. Féré speaks in the *International Medical Magazine* of the pain in the tendon of Achilles during extension or under pressure on the side of the body in which the hysterical stigmata predomi-

nate. It is associated with swelling of the part and persists after the other hysterical symptoms have disappeared. Albert has described such a pain in the tendon of Achilles, which disappears when the patient is lying down.

TREATMENT OF LARYNGEAL DIPHTHERIA.

By Edward Anderson, M. D.,
Rockville, Md.

I HAVE no doubt that many diseases, diphtheria among the number, are arrested the moment the system is brought under the influence of mercury. The only question is, which is worse, the remedy or the disease; and I think very few physicians would hesitate to decide in favor of the remedy in a malady so fatal as the one under consideration.

I lost every case of laryngeal diphtheria that I treated up to November, 1890. At that time a four year old child was stricken with this disease in my town and the attending physician pronounced it membranous croup. He did not tell the parents there was any danger of contagion, consequently a child five years old contracted it.

The four year old child succumbed in a few days, when I was placed in charge of the one five years old. I determined to save him no matter how extreme the remedy, and gave him five grains of calomel to begin with and after that one grain of calomel, with half a grain of ipecac, every two hours, until the child began to vomit, when I left off the ipecac, but kept on with the calomel.

Whenever the bowels became too lax, I added half a grain of Dover's powder to the dose. This treatment was kept up for a week. The child would undoubtedly have died before getting under the influence of the mercury, but for the inhalation of steam, which caused him so much relief that he would of his own accord use it.

The method I employed was a very simple one. It consisted of a coal oil stove which, after the water was once boiled, kept the steam constantly escaping and was conveyed to the little patient's throat by means of a long paper tube attached to the spout of a kettle.

A month later, the two year old child contracted the disease in the same form, through the carelessness of the mother,

who had been warned of the danger; it being too young to inhale the steam properly, it died.

There are only two certain ways of affecting the system with mercury, particularly that of a child. One is by inunction, the other by fumigation. Inunction is too slow a process to be used in a case of diphtheria, but fumigation affects the system, almost immediately, brings the mercury in contact with the disease at its starting point, relieves difficult breathing at once and in my opinion should be employed in every case of laryngeal diphtheria from its inception.

As I have been obliged to draw on my own imagination as to the proper means of fumigating, having never seen a description of the process used by others, I devised the following plan. I place the patient in a low cradle covered with blankets thick enough to prevent the escape of smoke and large enough to lie on the floor all around it. Under the cradle I place an inverted baking pan, on the top of which I put an iron plate at least a fourth of an inch thick, heated until nearly red hot. On that I pour a level teaspoonful of calomel, and keep the child under the canopy for ten minutes at a time. Six fumigations at intervals of four hours I think would be enough in any case. This treatment should be inaugurated as soon as the larynx is known to be invaded.

On October 27, 1895, I was called to see a child dying from diphtheria and in spite of all I could do it died in three hours. There was another child one year old in a cradle in the same room. The breathing was so difficult that I would not have been surprised at its death at any moment. I gave it two grains of calomel and ordered half a grain to be given every two hours until my return.

The next morning, finding it no better, I began with fumigation and kept

it up until it had been used four times, continuing the internal treatment. On the third day, its improvement was so great that I considered its recovery almost certain and in about a week it was well enough for me to cease my visits.

On the 18th of October of this year, a woman came to my office at night saying that her five year old boy was very sick with croup. She was particularly uneasy, as a few days previously, a little boy of five years of age had died in this town with what the physician termed membranous croup and after intubation had been performed, I ordered five grains of calomel to be given that night and told the woman I would see the child next morning.

On visiting the boy in the morning, I found false membrane back of the tonsils and the larynx very much clogged. As the child's bowels had not been moved, I ordered two grains of calomel and half a grain of ipecac to be given every two hours during that day, the 19th. On the third day of the patient's illness, October 20, the bowels having moved and vomiting having occurred several times, I reduced the calomel to one grain and the ipecac to a quarter of a grain every two hours. I gave seven and a half grains of salicylate of sodium

three times daily in a teaspoonful of essence of peppermint during these two days also.

After this nothing in the way of medicine was given except two drops of the fluid extract of digitalis, given by the mouth, equal to fourteen drops of the tincture, and a sixtieth of a grain of strychnia hypodermically during the remaining period of his illness. I fumigated this patient four times on the 20th and once on the 21st. During the night of the 20th, the mother put calomel on the red hot stove and fumigated the whole family.

On the 20th, Dr. J. R. Wellington of Washington, D. C., in response to my request, came up and inserted an O'Dwyer tube, which the child coughed out on the 26th. The child was unable to swallow and would have died had I not also employed the nasal tube for the purpose of feeding him and administering whiskey and medicine. The child is now, on November 2, out of danger, but is still very weak. When I first saw him, I told the father the case was most desperate and would most likely prove fatal, but I will now feel more hopeful in the future, as it is the third patient that has recovered where I have had entire control of the case.

BOWEL OBSTRUCTION BY A GALL-STONE, SIMULATING APPENDICITIS.

By J. H. Hardcastle, M. D.,
Cecilton, Md.

READ BY TITLE AT THE SEMI-ANNUAL MEETING OF THE MEDICAL AND CHIRURGICAL FACULTY OF MARYLAND,
HELD AT HAGERSTOWN, MARYLAND, NOVEMBER 10 AND 11, 1896.

PATIENT, male, aged 56, weight 210 pounds, had at times for the past three or four years suffered with slight pains in the region of the transverse colon and both iliac fossae, accompanied by annoying forebodings. A peculiar striking sound as if water, drop by drop, was falling into a bottle, and again like a little stream passing with a gurgling sound, was noticed by the patient.

On the night of July 1 he was seized with sudden pain, accompanied with

vomiting of a green, sweetish fluid (lettuce had been eaten the day previous) which soon changed to a brown color; there were also two or three small semi-solid evacuations from the bowels; then there was a cessation of pain and vomiting for several hours, when it returned with increasing severity.

Stercoraceous vomiting occurred on the fourth and fifth days, with great prostration.

On the afternoon of the fifth day, after

the three physicians engaged on the case had decided that an operation would have to be done for what was supposed to be appendicitis, there was a sudden cessation of pain and vomiting and the patient made an uninterrupted recovery. (In obscure cases of intestinal and hepatic diseases one cannot be too guarded in trying to arrive at a correct diagnosis.)

On the 15th the stone passed *per rectum*, and proved to be a large cholesterin (crystallized) nearly two inches long and one in diameter; there was also passed

for several days a number of small yellow, seed-like bodies which appeared to contain cholesterin in a soft, waxy state. It is highly probable that this calculus was formed in the intestines, as there had been no hepatic symptoms to account for it.

The treatment consisted of calomel and soda, copious enemata of warm water (through the long rectal tube), morphia and atropia, hypodermically, large doses of olive oil (the California is the best) and also the phosphate of sodium.

PERNICIOUS ANEMIA WITH DISTENSION OF THE LARGE INTESTINE.—Stockman (*University Medical Magazine*) reports the case of a woman delivered of a healthy child in November, 1895, after a normal labor, during which she lost less than the usual quantity of blood. She was always well until two months prior to her *accouchement*, when she began to grow weak and pallid and to be greatly troubled with flatulent distention of the abdomen. These conditions increased in severity, and the patient became much emaciated. Physical examination of the heart, lungs, liver and spleen was negative. The abdomen was much distended, and the peristaltic movements of the bowel very active. From the presence of contracting bands there was little difficulty in recognizing the large intestine. Hemoglobin, 24 per cent.; erythrocytes, 1,680,000; later, hemoglobin, 20 per cent.; erythrocytes, 920,000. Treatment consisted of iron, arsenic, and careful dieting. The patient died February 28, 1896. There were found at the necropsy dilatation of the stomach and enormous distention of the ascending and descending colon. The transverse colon and rectum were normal. No obstruction. The ante-mortem suspicion that the excessive anemia was due to malignant obstruction of the large intestine was not borne out by the autopsy. Although the clinical symptoms were those of pernicious anemia, there were no excess of iron in the liver or spleen. The history shows that the distention of the bowel

was distinctly traceable to the excessive flatulence from which the patient suffered during her pregnancy.

* * *

HEMORRHAGE FROM BONE ARRESTED BY NAILS.—Rapin (*British Medical Journal*) mentions the difficulty of arresting hemorrhage from an artery situated in bony tissues, especially if spongy. Ignipuncture or prolonged pressure have been the best means up till now, but the author has devised another method. He nails the vessels with cobbler's nails previously disinfected. At the end of the operation they are removed, but if any vessel bleeds again the nail can be left in. This device has proved very serviceable during Kraske's operation, six nails being sufficient to arrest the hemorrhage from the divided sacrum.

* * *

THE HEART UNDER RÖNTGEN ILLUMINATION.—Dr. Benedict (*New York Medical Journal*) finds by X ray illumination that the apex approaches the base of the heart in systole, so that there is no apex impulse in Skoda's sense, but at most a lateral systolic apical stroke. The ventricles are not entirely emptied at each systole, but always retain a considerable amount of blood; nevertheless, the four thousand heart-beats to the hour carry fresh blood enough into the arteries. On deep inspiration, the normal heart rises from the diaphragm, so that an appreciable interval is visible between them. Such examinations are most satisfactory if made on young and thin persons.

Society Reports.

BALTIMORE MEDICAL ASSOCIATION.

MEETING HELD OCTOBER 12, 1896.

THE President, Dr. Randolph Winslow, in the chair.

Dr. Eugene Lee Crutchfield read a paper entitled A NARROW ESCAPE FROM DEATH DURING CHLOROFORM NARCOSIS. (See page 100.)

Dr. H. H. Biedler agreed with him as to the importance of not losing presence of mind. He gives chloroform very frequently but rarely gives ether. The danger arises from the administrator watching the operation; also from the administrator not giving sufficient air. He lays no stress on idiosyncrasy. Do not push the anesthetic when the respiration ceases or the pulse grows weak. Be guarded in giving an anesthetic to patients with kidney trouble. It is said that chloroform is contraindicated in albuminuria and that then ether should be used, but he thinks that one is as bad as the other.

Dr. Charles H. Jones agreed with Dr. Biedler that the unpleasant effects of chloroform are due to the administrator. He uses it very frequently but has had no ill consequence. He withdraws the chloroform when there is any stertorous respiration. He admits plenty of oxygen. He is a great advocate for chloroform.

Dr. John Neff endorsed Dr. Jones' statements. He has seen no deaths from chloroform, but several alarming cases. He has reported one case of this nature in which the patient was revived by the application of hot water to the chest. In obstetrical practice he often changes from chloroform to ether when he thinks that the indications call for this change. He gives a tablet of nitroglycerine and strychnia before the administration of an anesthetic.

Dr. W. F. A. Kemp related a case in which there was no primary ill effect from chloroform, but a peculiar after-effect. The operation was performed in the morning, but about 10 P. M. the patient had a well marked case of angina pectoris.

Dr. E. G. Waters spoke of the Esmarch apparatus for giving chloroform. The administration of the anesthetic with this seemed to be continuous. This contrivance is admirable for the dilution of the chloroform vapor. His observations correspond with those of Dr. Jones. He has had no unpleasant effects. The nearest approach to an accident was from ether. He asked if anyone present had used bichloride of methyl. This is used largely by Sir Spencer Wells, who has had no threatening accident. It is also free from the nausea and other unpleasant effects of chloroform and ether.

Dr. C. Hampson Jones: The experience of different men varies widely on this subject. Sometimes with the utmost caution a death will occur. He has seen four deaths from chloroform. In three of these the death occurred in the early stage of the administration. Death will sometimes occur without any fault of the chloroform or of the administrator, but be due to the patient, and the necropsy will reveal no pathological change. Do not do too much in attempting to resuscitate the patient. When artificial respiration is employed, twelve times a minute will prove sufficient. Chloroform is preferable to ether.

Dr. T. Chew Worthington: Accidents will occur no matter how careful the administrator may be. He has seen one case of this kind when the administrator could not be blamed.

Dr. Biedler: Bromide of ethyl is an excellent anesthetic for short operations.

Dr. C. Hampson Jones is not acquainted with bichloride of methyl, but it seems to be similar to the A. C. E. mixture.

Dr. Randolph Winslow: A patient under an anesthetic, no matter what it may be, is very near being a dead person. We must consider the patient in the choice of an anesthetic. One with bad kidneys must not take ether, one with bad lungs must not take ether, and the very young and the very old should have chloroform. He has recently seen one death from chloroform. A person dead from anesthesia is dead from the beginning. Nitrite of amyl is an efficient agent to resuscitate patients.

In the case of death which he saw, the post-mortem revealed fatty heart, fatty liver and fatty kidneys. The treatment depends upon whether the cardiac or the respiratory centers are involved. Sooner or later every physician will have bad results if he continues to use anesthetics. In obstetrics chloroform is practically a safe anesthetic. In private practice he uses the Esmarch inhaler altogether. He mentioned the case of a very narrow escape from death that he witnessed some years ago. Ether kills later on, but not so frequently on the spot as chloroform.

Dr. Waters: The title of the drug that he mentioned explains its nature. It is a chemical and not a mechanical union. The air that we breathe is a mechanical mixture. Water is a chemical compound. In puerperal eclampsia where the kidneys are involved, chloroform is a favorite remedy.

Dr. E. L. Crutchfield, in closing the discussion, refuted the insinuation that in the case reported by him the accident was due to the administrator not watching the patient or not giving proper attention to his duty. He was giving (as is his invariable habit in such cases) his undivided attention to the administration of the anesthetic. He was also careful to let the patient have plenty of atmospheric air and not to give him too much chloroform. He prefers a towel folded in the shape of a cone and open at both ends to any other apparatus, as it allows the patient to inhale sufficient oxygen and does not collect the secretions from the mouth and the throat. He prefers chloroform to ether, but once when the heart was extremely weak he changed to the latter drug with good result. In the case reported by him to-night artificial respiration was employed about sixteen times per minute. The action of nitrite of amyl (recommended by Dr. Winslow) is identical with that of nitro-glycerine except that it is more prompt. Accidents may occur in the hands of the most careful. The case of death (mentioned in his paper), which Dr. Whitehead saw, happened in the hands of his fellow-student, Mr. Priestly Smith, now the well-known English oc-

ulist, then dresser to Mr. Sampson Gamgee. Everything was done to resuscitate the patient, but without avail.

Dr. Winslow exhibited a tumor removed today from the pelvis. There were no attachments except some flimsy ones to the omentum and to the pelvis. It was a dermoid tumor of the left ovary. The symptoms were obscure and had nothing to do with the tumor.

Dr. Waters asked if it is common to find calcification in ovarian tumors.

Dr. Winslow thought not.

The Association then adjourned.

EUGENE LEE CRUTCHFIELD, M. D.,
Recording and Reporting Secretary.

Medical Progress.

REPORT OF PROGRESS IN DISEASES OF THE EYE.

By Hiram Woods, Jr., M. D.,
Clinical Professor of Eye and Ear Diseases, University of Maryland; Surgeon at the Presbyterian Eye, Ear and Throat Charity Hospital, Baltimore.

DISTURBED EQUILIBRIUM OF THE EYE MUS- CLES A CAUSE OF HEADACHES AND OTHER REFLEX NEUROSES.

In the *Chicago Medical Recorder* of April, 1896, Dr. F. C. Hotz discusses this vexed and not entirely new question. His paper is an enquiry into the etiological relation between imbalance of the eye muscles and certain neurotic symptoms. This relation has been asserted by some and vigorously denied by others. Dr. Hotz is an observer of reliability and his views are of importance. He says in part:

"If this was a subject of interest to oculists only, we might well leave it to the forum of the ophthalmological societies just as we leave to them the discussion of the technical details of the examination and treatment of these muscular anomalies. But the main question, I think, is of great interest to every physician; for as these neurotic affections occur in the practice of every physician he certainly must take a great interest in observations by which it is claimed an important source of these neuroses has been discovered. If this etiological

relation between the eye muscles and neuroses really exists, the physician wants to know it, so that he may conscientiously advise the examination of the eyes in those cases which have resisted all his therapeutic efforts and in which he has found no tangible cause of the neurosis. But if that etiological relation exists only in the imagination of some misguided oculists the physician wants to know that too in order to save himself the embarrassment of sending his patients to an oculist, only to be told that to cure neuroses through the eye is an illusion or a deception.

"Whenever the disturbance of the muscular balance is so great as to produce an actual, visible strabismus the eyes never attempt to restore binocular fixation by special muscular efforts and, therefore, we never observe any nervous symptoms in these cases. But whenever there exists only a tendency to deviation, it is ordinarily opposed by muscular tensions, because thereby binocular vision can be maintained. For instance, suppose my right eye had a tendency to diverge, it would always turn its visual line away a little from the object I am looking at and, therefore, would not receive the image of the object upon its macula like the left eye. The images not being received on identical points of the retina a very confusing sort of double vision would be the result. To get rid of this confusion it is only necessary that the internal rectus of my right eye, by a slight contraction, opposes the diverging tendency and holds its visual line directed to the fixation object. But as it would have to keep up this struggle against the diverging tendency from early morning until late at night this internal rectus, sooner or later, would become overworked and I should experience the effects of this continuous muscular strain upon the nervous system just as the overworked ciliary muscle of hypermetropic eyes causes eye pain, headaches and other neurotic symptoms.

"In all the text-books on ophthalmology you find a chapter on muscular asthenopia, telling you how the strained effort of the interni in maintaining bin-

ocular vision in reading causes headache, nausea, faintness and other nervous symptoms; but the most text-books are silent as to similar effects being produced by similar strained efforts of the other ocular muscles. Now if we concede it to one muscle why not to the others?

"The same illogical reasoning is shown in another argument. All oculists are agreed that the strained efforts of the ciliary muscle are a prominent factor in the etiology of nervous disorders; I dare say there is at the present time not one oculist denying the possibility of relieving a great many nervous complaints by glasses correcting the refractive errors of these sufferers, although a great many people suffer no ill-effects from their uncorrected refractive errors. Now if we admit that this intraocular muscle can exert such far-reaching influence upon the nervous system, it seems very irrational to disbelieve the clinical evidence that the extraocular muscles exert a similar disturbing influence whenever a similar continuous and excessive work is demanded of them. I grant a perfect muscular balance is seldom found and still many people with abnormal balance enjoy perfect health and comfortable vision, but this proves nothing; for as I said before, many, very many, ametropes experience no discomfort from their abnormal refraction and nevertheless we regard the etiological relation of ciliary muscle strain to many reflex neuroses as an established fact."

The author then mentions the well-known fact that after an imbalance has been corrected the general health—in many cases previously impaired—improves. From this has sprung the conviction with some that improvement in neurotic symptoms is due not to correction of eye defect, but to an improved general health. Dr. Hotz presents cases justifying him in thus replying:

"Everything that medical skill can do to improve their health had been tried in vain; every organ of the body except the eyes had been carefully examined in the search for the cause of the nervous debility. All these efforts having

been fruitless, the sufferer is referred to the oculist who, upon a careful scrutiny of all evidence, recognizing in the heterophoria present the probable cause of all the local and general disturbances of the patient's nervous system, restores by his treatment the proper balance of the ocular muscles and, presto, there is a great change in the clinical aspect of the case; eye pains are gone, headaches do not return and the patient is growing stronger, bodily and mentally, every day. The general improvement follows the relief of the neurotic symptoms and these symptoms subside after the treatment of the heterophoria. Keep this order of the events clearly before your mind and you will find the correct answer to the question whether or not we are warranted to attribute the patient's recovery to the treatment of his ocular muscles.

"Dr. Roosa does not believe in heterophoria as a cause of reflex neurosis and gives in his text-book, page 530, the following singular explanation of the reported cures: 'Time and added experience have deepened my conviction that the cures accomplished in such cases were mainly suggestive and many of them illusionary, occurring in neurotics who came into the world with an abnormal nervous system and in whom symptoms are as variable as the changing winds.'"

This "suggestive" explanation Dr. Hotz meets by narrating a case—a draughtsman of 23—who had consulted three oculists for headaches, always aggravated by work. Everything had been done except to correct the muscular anomaly thoroughly. This accomplished, relief came permanently. He adds:

"Now, if this was a cure by suggestion, as Dr. Roosa would have it, why did suggestion not work with the other three oculists? All four oculists employed the same means, glasses, for suggestive treatment, and if the patient was susceptible to suggestion why did it fail in the hands of my colleagues? You cannot relieve this eye pain and headache by mental jugglery; you cannot make a patient believe the glasses will cure

his trouble unless they actually relieve the muscular pain which has caused the discomfort; for eyes are very quick to tell whether or not the glasses are correct.

"I cannot emphasize strongly enough the importance of exercising the greatest caution and patience in the examination and treatment of these muscular defects. I am fully convinced many negative results in the treatment of these cases would be turned into positive success if the surgeon had spent more time in carefully studying his cases. He who imagines he can understand and treat these cases after one examination will never make a success of it. The correct and successful fitting of glasses for refractive errors is mere child's play in comparison with the correct working out of a case of muscular errors. This is a problem full of perplexities requiring the highest degree of skill and judgment for a successful solution.

"To one familiar with the many pitfalls in the investigation of these cases it is not surprising to hear of so many negative results. No one has accomplished a cure in every case, and I am frank to confess to a number of failures; but in the face of so many authenticated reports of successful cures, these negative results cannot be used as an argument against the doctrine of heterophoria being an important factor in the causation of neurotic conditions. These negative results only prove we have not yet arrived at that perfect state of knowledge which precludes the commission of errors."

* * *

SENILE ENDOMETRITIS AND VAGINITIS.—Dr. Augustin H. Goelet, Professor of Gynecology in the New York School of Clinical Medicine, presented a paper on this subject at the October meeting of the New York Medico-Surgical Society (*Medical Record*). He thinks if the general practitioner will consider that women past the menopause may be liable to chronic inflammation of the endometrium and will look for symptoms denoting it he will find that it is by no means infrequent and that many obscure

troubles in women at this age will be cleared up and their sufferings relieved.

The atrophic changes which occur at this time and which are due to a diminished pelvic circulation and impaired local nutrition are directly responsible for this condition. He agrees with Skene that this process in many cases is a degeneration rather than an inflammation. During the first year or two after the menopause, however, it undoubtedly exists as a chronic inflammation, but contraction and narrowing of the canal of the cervix causes retention of the secretion, which becomes acrid and destroys the mucous membrane.

The general malnutrition which accompanies this condition is regarded more as a result than a cause of the disease, and disappears upon the establishment of drainage and improvement of the local condition. The disease is characterized by a purulent or mucopurulent discharge which is at times very acrid and irritates the vagina and vulva. The rugae are effaced and the surface of the vagina is smooth and glistening in places, with here and there minute ecchymosed papillae.

The same method of treatment which would be applicable for endometritis in younger women would not be suitable in this condition. It is true that drainage and absolute cleanliness of the uterine cavity are essential, but this cannot be accomplished by dilatation in the usual manner with curettage. The mucous membrane in advanced cases is already destroyed and the closure of the canal of the cervix from bands of cicatricial tissue would make ordinary dilatation dangerous since rupture would result.

The author points out that this may be accomplished safely by means of conical electrodes employed with the negative pole of the galvanic current and cautions that only a moderate strength should be employed and cauterization should be avoided. When dilatation has been thus accomplished a special small double current irrigator is inserted and the cavity is washed with a weak (1 per cent.) solution of lysol. This irrigator can be utilized as an electrode and the current turned on while the ir-

rigation is going on, thus producing a moderate stimulation of the endometrium. The surface of the vagina and vulva is then dusted with a bland non-irritating antiseptic powder, markasol, and a solution of the same is used as a vaginal douche once or twice a day as required. For vesical tenesmus the urethra is dilated with the same electrodes and the bladder is washed out with a 1 per cent. solution of markasol. The same solution is used for the rectum.

Cicatricial contraction of the vagina in advanced cases may prevent the use of a pessary to correct a misplacement if this complicates the case. In these cases, as well as where the organ is prolapsed, the author would prefer ventral suspension to hysterectomy.

Senile endometritis is usually regarded as most intractable and is trying for both physician and patient. Yet the author says he knows of no gynecological disorder the treatment of which is undertaken with more certainty of success.

* * *

INSOMNIA AND GASTRO-INTESTINAL DISEASE.—Dr. Boardman Reed of Atlantic City, N. J., in a paper read before the section on Practice of Medicine of the American Medical Association, May, 1896, entitled, "The Frequent Dependence of Insomnia, Mental Depression and Other Neurasthenic Symptoms upon Disease of the Gastro-Intestinal Tract," pointed out that the symptoms named result admittedly from the graver forms of disease of the alimentary canal, such as cancer, ulcer, gastric catarrh, dilatation, etc., in consequence of the lowered nutrition which these affections induce, from a starvation of the nerve centers through impoverishment of the blood, or from a poisoning primarily of the blood and secondarily of all the tissues by the products of fermentation, putrefaction and suboxidation.

He showed that while cancer and ulcer of the stomach are generally recognized at a comparatively early stage, on account of the pain and vomiting which characterize them, gastric catarrh, gastric atony, dilatation of the stomach, are more often allowed to progress to an

advanced and comparatively hopeless stage before properly diagnosed and placed under appropriate treatment. Hyperacidity, or that form of gastric derangement in which an excess of hydrochloric acid is secreted, he referred to somewhat at length because it is exceedingly common, accompanied nearly always by severe neurasthenic symptoms, including especially insomnia, etc.; and yet, being only demonstrable by the tube after a test meal, is very generally overlooked.

The writer dwelt especially upon the almost constant association of hyperacidity with constipation and suggested as an explanation of the connection, that the superacid contents of the stomach upon passing into the bowel inhibit or greatly diminish the activity of the intestinal ferments, which require an alkaline or at least a neutral medium, and that besides this serious interference with intestinal digestion, the excessive acidity may set up irregular or spastic contractions of portions of the gut. He had felt these contracted portions in such cases and considers the constipation thus produced an important link in the chain of causes which result in autointoxication.

* *

PREGNANCY AND LABOR COMPLICATED BY UTERINE FIBROID TUMORS.—In a paper read before the Southern Surgical and Gynecological Society, November 10, 1896, Dr. Henry D. Fry of Washington, D. C., stated that his aim was to present the subject for discussion from the standpoint of the obstetrician and not the gynecologist. The treatment of a woman with a rapidly growing tumor is of secondary importance. The management of pregnancy complicated by this condition is of prime importance and the claims of the child are brought forward for earnest consideration. The propositions he wished to advance were:

1. The production of abortion was unjustifiable.

2. Labors presenting serious difficulty to delivery were best treated by abdominal section and removal of the child and tumor. By maintaining this

position the interests of the mother were not relegated to second place. While saving the life of many infants, the maternal mortality will also be diminished.

He next directed the attention to some points bearing on the natural history of fibroids complicating the pregnant state, and before taking up the question of treatment, he briefly referred to the histories of some cases that had come under his observation. Under treatment he first considered the proposition: The production of abortion is unjustifiable.

1. Because it destroys the life of the child. In some cases, however, it is unavoidable, but in others the gestation may be prolonged to viability or even to the full period. In a certain portion of the latter cases, delivery may be terminated *per vias naturales* when early in gestation it had seemed hopeless. Who, then, is warranted in destroying the embryo in early pregnancy because of the presumable difficulties that may not be overcome? Given a case which has passed through utero-gestation without a favorable change in the obstruction produced by the tumor, what then? Still give nature a chance. Under the influence of labor pains the growth may yet recede out of the pelvis. The construction of the longitudinal muscular fibers, their rearrangement in the corpus, the thickening of the uterine wall above the ring of Bandl and the thinning of the lower segment of the uterus, are well established physiological changes. These may elevate a pathological excess of tissue above the contraction ring.

While recognizing nature's claims to a fair trial we must be careful not to permit the labor to be prolonged sufficiently to exhaust the woman and jeopardize the chances of surgical interference. In cases where the destruction of the life of the child is unavoidable the production of abortion is still not warranted. The dangerous complications that so often set in after spontaneous abortion in these cases cause a maternal mortality of 12 per cent. The constrictions and tortuosities of the cervical canal

prevent the complete expulsion of the ovum. The deficient drainage adds to the invitation for septic trouble, which too often spreads to fibroid growths. The success of active local treatment is often defeated and it is impossible to clean out and disinfect the cavity of the uterus. The same difficulties and dangers apply with greater force to the artificial production of abortion. Cases of pregnancy complicated by fibroids of the uterus which cannot proceed either to viability or full term demand interference of two kinds :

1. To remove the obstacle and then to permit the gestation to proceed, or—

2. If this be impossible, to remove the tumor and pregnant uterus by supra-vaginal or complete hysterectomy. The second proposition is maintained in view of the great mortality that experience shows will follow efforts to extract *per vias naturales*. In all cases presenting serious difficulties surgical interference offers better chances for mother and child.

Cesarean section should not enter into consideration in this class of cases, owing to the frightful mortality that has resulted. The disastrous result of closing the uterine wound when a fibroid growth exists in the organ is enough to banish it, besides the objection if the woman should recover she will continue to have a diseased uterus. The choice of method will rest between a Porro and hysterectomy. The Porro is permissible only when the uterus is situated sufficiently high to permit construction of healthy, uninvolved tissue below it. Hysterectomy may be complete or supra-vaginal amputation. Fibroids situated low in the pelvis are better treated by complete hysterectomy.

* * *

HEMATOMA OF THE VULVA AFTER NORMAL LABOR.—Lefranc (*British Medical Journal*) detected a hematoma of the right labium majus two hours after delivery. It grew rapidly larger under the eyes of the observer, extending to the anus and to Douglas's pouch. It was laid open and packed with iodoform gauze. The forceps had not been used.

The patient was free from cardiac or vascular disease, and there was no trace of varix, no narrowness of the vagina, and no contraction of the pelvis. Most probably the vagina (which was involved in the hematoma) had become detached from the subjacent tissue to a considerable extent.

* * *

VIBURNUM PRUNIFOLIUM A PROPHYLACTIC AGAINST ABORTION.—Manuel Guitierrez, Mexico (*American Gynecological and Obstetrical Journal*), without deprecating the value of pathological indications in the prevention of abortion, asserts that, whatever be the occasional cause of abortion, the essential condition is the contractility of the uterus; hence in preventable cases a remedy must be used which will abolish uterine contractions with the least general systemic disturbance. *Viburnum prunifolium* has, in his experience, fulfilled this indication, being a true uterine sedative. He employs the fluid extract in doses of twenty drops, three times a day, when no active symptoms exist; when uterine contractions are present it can be repeated as often as need be, combined with tinct. opii or morphine. He reports ten cases with complications successfully treated with *viburnum prunifolium*—two with uterine fibroids; two with prolapsus uteri; four with retroversion; one habitual abortion from excessive hard work; and one from tuberculosis.

* * *

PUERPERAL ECLAMPSIA.—In a paper read before the Delaware State Medical Society, Dr. Charles M. Ellis of Elkton, Maryland, gave the indications for the necessity of artificial delivery. He called special attention to the great danger of the convulsions of pregnancy before term. His experience included eight cases, occurring at different stages of pregnancy, and showed clearly that when a convulsion occurs before term, unless it is of systemic origin, immediate delivery is imperative, without regard to the presence or absence of uterine contractions or the condition of the

os as to dilatation. If the convulsions begin early, the uterus should be emptied by the most expeditious method, and all medicinal treatment should be secondary to this one great object. This is necessary for the reason that the percentage of fatalities from eclampsia is fully 50 per cent.

This high death rate is greatly exceeded when the delivery is not accomplished, or if it is delayed until several convulsions have occurred, or until uterine contraction and dilatation have supervened. Of the eight cases seen by the author, five died and three recovered. Of the five that died premature delivery was effected, one on the sixth day after the initial convulsion, one forty-eight hours after, one eighteen hours after, three others having followed, and the patient being moribund at the time, and one lay in convulsions three days without any attempt at delivery. The experience gained from these eight cases would certainly justify premature delivery.

Dr. Ellis had never seen a death occur before delivery after the operation had been initiated, and he believed the uterus should be evacuated immediately after the first convulsion. When albumen appears in the urine the more imminent is the danger of eclampsia, and, if this accident is threatened, it may be necessary for the attending physician to hasten delivery without waiting for the convulsive seizure. The speaker denounced the indiscriminate use of morphia hypodermically in cases like these.

* *

OSTEOMALACIA CURED BY OÖPHORECTOMY.—Piretti (*British Medical Journal*) adds another to the already long list of cures of osteomalacia by oöphorectomy, but his observation is especially interesting on account of the extraordinary success of the operative treatment. The case was a severe one, yet within a month of the operation the condition was greatly improved, and four months later the patient's health was practically re-established, and she had gained 25 cms. in stature.

Obituary.

PHILIP C. WILLIAMS.

IN the death of Dr. Williams the profession loses one of its oldest and most distinguished members and the community a good and faithful citizen.

Dr. Williams was born at Winchester, Virginia, in 1828, and was the son of the late Philip W. Williams, a well-known lawyer of that place. He was graduated from the University of Pennsylvania in 1850 and came to Baltimore to live and practice. Dr. Williams rapidly attained a high position and became a member of the State, local and national medical societies.

He was a keen observer and carefully recorded the best of his work. He contributed to medical literature and the files of the MARYLAND MEDICAL JOURNAL give evidences of his ability as a writer. Probably the most widely read of his medical publications which bore a medical-legal aspect was a report of the celebrated Ketchum-Wharton case.

Dr. Williams was not only a successful physician and a good citizen, but also a devout and earnest Christian, having been for years a member of Christ Protestant Episcopal Church and a vestryman of that church. At the time of his death he was junior warden of the church and always represented it at the diocesan convention. The beneficent effects of his Christian life were felt by his patients, to whom he brought not only bodily, but spiritual, relief.

In addition to all these good qualities, Dr. Williams was an ardent prohibitionist, preaching by deed as well as by word the good effects of total abstinence. The immediate cause of his death was Bright's disease, from which he had suffered for several years.

Among his children is Dr. John Whitridge Williams, who is at the head of the obstetrical department at the Johns Hopkins University. Another son is at the Hopkins Medical School.

Dr. Williams' death is a great loss to the whole community and the large number who paid respects to his memory at the funeral attest to some degree how he was beloved.

MARYLAND Medical Journal.

PUBLISHED WEEKLY.

TERMS OF SUBSCRIPTION, \$3.00 a year, payable in advance, including postage for the United States, Canada and Mexico. Subscriptions may begin with any date.

DATE OF PAYMENT.—The date following the subscriber's name on the label shows the time to which payment has been made. Subscribers are earnestly requested to avoid arrearages.

CHANGES OF ADDRESS.—When a change of address is ordered, both the old and new address must be given. Notice should be sent a week in advance of the change desired.

TO CORRESPONDENTS.—Original articles are solicited from members of the profession throughout the world. Reprints will be furnished in payment of accepted articles if the author's wish is so stated at the time.

CORRESPONDENCE upon subjects of general or special interest, prompt intelligence of local matters of interest to the profession, items of news, etc., are respectfully solicited. Marked copies of other publications sent us should bear the notice "marked copy" on wrapper.

MARYLAND MEDICAL JOURNAL,

209 Park Ave., Baltimore, Md.

WASHINGTON OFFICE:

913 F Street, N. W.

BALTIMORE, NOVEMBER 28, 1896.

THERE is much talk in the land about therapeutic nihilism. A certain type of practitioner, full of faith in *Therapeutic Nihilism*, his drugs and full of ignorance of the nature of disease, views with apprehension the advent of doctrines which throw doubt upon the efficacy of his multiherbal and multikaloidal prescriptions. If he cannot cure disease with his pills and powders, pray, what is his function, what excuse can he possibly bring forward for the brass plate upon his house front, and more especially for the monthly bills rendered? Evidently he has an interest in arresting the progress of this tendency toward therapeutic nihilism!

Practitioners of this stamp excite our sympathy. The sympathy is concerned, however, less with the actual position of therapy than with the failure of those with whom we speak to comprehend the advances which are being made in the healing art. The physician who told his neurasthenic patient the other day "the only thing which has kept you alive for the past two years is the fact that *I have kept you full of drugs*," if he be-

lieved what he said, deserves our pity. We cannot, however, at the same time omit expressing pity for his patient.

We are much mistaken if there be many medical men who are in reality nihilistic as regards therapy. The term "therapeutic nihilist" has been improperly applied. Because the medical man in this age refuses to order the old-time condition powder or the veterinary bolus over which our fathers gagged, must he be dubbed therapeutic nihilist? If the physician, enlightened by experience at the bedside and at the autopsy table, failed to believe in the advantage of large doses of digitalis in well compensated lesions of the heart, or of concentrated solutions of iodide of potassium given internally to absorb the connective tissue in the form of advanced Bright's disease in which the kidneys are contracted, must he be called a medical "do-nothing"? Even if he prefers to restrict his drug prescriptions for human beings to a comparatively small list of chemical substances whose favorable action has been completely demonstrated and to reserve his experiments with untried poisonous alkaloids for laboratory animals, is he to be decried as an enemy to the profession and to the public weal?

We believe that the majority of our readers will agree with us if we answer in the negative. If to withhold drugs when they are likely to do harm or even when we have no sufficient evidence that they will do good, trusting in such cases rather to the reparative powers of nature herself, be therapeutic nihilism, then let such nihilism prosper. The well-judged rejection of certain drugs is as important for the modern therapy as is the studied rejection of phrases by the cultured writer.

As a matter of fact, therapy has recently made enormous advances, advances more extraordinary than the sanguine expectant of thirty years ago could have hoped. While it is true no small part of this advance has consisted of negation and of prevention, still the lion's share of progress has been made up of positive additions to our therapeutic stores. As a result almost entirely of animal experiment we have been given, for example, a sero-therapy and an organo-therapy, which though the germs of the treatment are perhaps recognizable in the habits of a Mithridates and the concoctions of the world's

witches, come to us now for the first time physiologically well based.

As might have been expected, however, the phenomenal results obtainable by the legitimate use of Behring's serum and of thyroid extract have led the impatient and the untrained to employ all manner of serum and powdered organs in a whole host of affections, often in as reckless and unscientific manner as that which has characterized the indiscriminate administration of drugs and alkaloïds of the period immediately preceding this. With every new harvest of rich grain we gather also a wilderness of weeds. Truly the fresh perfection treads close, very close, upon the heels of the therapeutic past; the old darkness is difficult to dissipate, the shapeless chaos unwilling to be ruled.

It is only very slowly that we have learned that the body of man in its long struggle with environment has developed chemical mechanisms of defence of a complexity in comparison with which the profoundest subtleties of the organic chemist are but the simplest prolegomena. Several thousands of years of experience have been necessary to convince us that fresh air, the light of the sun, good food, sufficient quantity of sleep and suitable alternation of rest and activity of all the organs of the body are the agents which more than all others are effective in the maintenance of health and in its restoration when the body is diseased. All medical men tacitly acknowledge these truths, but to few, very few, do they have full, vital meaning.

* * *

It is a sad but remarkable coincidence that two such men as Sir Benjamin Ward Richardson in London and Dr.

Lessons from Philip C. Williams of Baltimore should have both lived a noble, conscientious life, attained a high professional and social position, contributed largely to medical literature, worked hard for the cause of temperance and then both should lay down two such lives on the same day and at the same age. Both were born in 1828 and both died aged 68.

The question that pathologists have asked themselves for a long time is as to what effects drinking and total abstinence have on kidney disease. Here are two men who led sober, industrious and abstemious lives and yet who both died at an age which in these days is not considered far advanced.

The etiology of Bright's disease has so often been put down to various causes, the leading one of which is excessive drinking. Certainly these two lives were remarkable exceptions and many other exceptions could be found. There are probably many other causes which are not sufficiently recognized, but which play an important part in the etiology of renal disorders. It is certain that virulent poisons are generated in the body and if these are retained the results are dire.

The theory has been advanced that not only drinking alcoholics, but the abstention from drinking water, paves the way for various kidney and liver diseases. Still further, the slow action of the bowels causes to be retained in the lower alimentary canal decomposing products which most certainly slowly poison the whole system.

The moral of this in part is that the person who advocates temperance or total abstinence from alcoholic liquors in food or drink should endeavor so to illustrate the good effects of abstemious living by ridding the body of effete matters and obtaining the requisite amount of rest and exercise, so that a long life may be the best proof of a lesson taught during life.

* * *

THE Health Department of Baltimore has announced that it is prepared to make a diagnosis for physicians of *Municipal Diagnosis.* Baltimore of suspected cases of diphtheria and tuberculosis. Stations have been selected and their location will shortly be announced where physicians may find culture tubes and swabs for diphtheria diagnosis and where also bottles of suspected sputum may be left. This will be done free of charge for physicians of Baltimore. This city is a little late in following the other cities in this method, but the tardiness is probably due to the mayor-councilmanic muddle.

If the method of detecting typhoid fever by the new blood examination is practical (and it seems to be in other cities), it is a pity that the health department did not see fit to add this to their list.

If physicians do their duty in sending specimens in as they should in all suspected cases, the city bacteriologist will be a very busy man unless he can procure assistance. This is a step in the right direction and is better late than never.

Medical Items.

We are indebted to the Health Department of Baltimore for the following statement of cases and deaths reported for the week ending November 21, 1896.

Diseases.	Cases Reported	Deaths.
Smallpox.....		
Pneumonia.....		18
Phthisis Pulmonalis.....		16
Measles.....		
Whooping Cough.....	4	
Pseudo-membranous Croup and Diphtheria. }	22	8
Mumps.....	4	
Scarlet fever.....	25	
Varioloid.....		
Varicella.....	7	
Typhoid fever.....	10.	2

The Pan-American Medical Congress at Mexico is said to be a great success. Dr. William Pepper was elected president for the next meeting.

Joseph Jefferson, the actor, at the request of his friend, Dr. George Reuling, gave a talk last week to the students of the Baltimore Medical College.

Dr. William G. Claytor of West River, Anne Arundel County, Maryland, died last week after a serious operation at the Johns Hopkins Hospital. Dr. Claytor was a graduate of the University of Maryland in 1852.

Dr. John Seibert, a wealthy recluse of Chicago and a native of Washington County, Maryland, died at Chicago last week. Dr. Seibert was a graduate of the University of Pennsylvania and had retired from practice.

Sir Benjamin Ward Richardson, M. D., F. R. S., etc., of London, England, died last Saturday, aged 68. He was a member of many prominent medical societies, a wide contributor to literature and well-known the world over as an ardent temperance advocate.

The Journal of Nervous and Mental Diseases announces the following arrangement of its staff for 1897: Editors, Drs. Chas. L. Dana, F. X. Dercum, Philip Coombs Knapp, Chas. K. Mills, Jas. J. Putnam, B. Sachs and M. Allen Starr; Associate Editors, Drs. Philip Meierowitz and Wm. G. Spiller; Managing Editor, Dr. Chas. Henry Brown.

The following physicians were elected at the last meeting of the Clinical Society: Drs. John J. Abel, Joseph C. Bloodgood, John G. Clark, Claribel Cone, Thomas S. Cullen, Henry B. Jacobs, Sylvan H. Likes, G. Milton Linthicum, John C. Morfit, Henry Page, S. Paton, Wilbur M. Pearce, Otto G. Ramsay, Wm. W. Russell, Mary Sherwood, Lilian Welsh.

It is proposed soon to have in Baltimore a meeting of all county and local health officers from all parts of Maryland together with the State Board of Health and a number of the city physicians to talk over the health of the State. The Health Board has of late had several outbreaks of diphtheria to contend with and in one small town cases existed in several houses in close connection, none of which were in the best sanitary condition.

Physicians practicing in the mining region of Maryland met at Frostburg last week and organized the George's Creek Medical Association, with Dr. C. C. Jacobs of Frostburg as president and Dr. W. O. McClean of Frostburg as secretary. The members of the association are: Drs. A. G. Smith of Midland; S. A. Boucher of Barton; Fasnaker of Westernport; B. M. Cromwell of Eckhart; J. O. Bullock of Lonaconing; A. B. Price, C. C. Jacobs, W. O. McClean, J. H. McGann, Timothy Griffiths, J. M. Price and J. Cobey, of Frostburg. Resolutions were passed on the death of Dr. Thomas Price of Frostburg, who was run over by a train. The association will meet monthly.

The Tri-State Medical Association of Western Maryland, Pennsylvania and West Virginia will meet at Cumberland, Maryland, Thursday, December 3, 1896, at 1.30 P. M. The following is the programme: La Grippe, Dr. C. H. Ohr, Cumberland, Md.; Puerperal Eclampsia, Dr. T. Griffith, Frostburg, Md.; The Science of Generation and its Phenomena, Dr. Wm. F. Barclay, Pittsburgh, Pa.; Treatment of Inebriates, Dr. S. A. Boucher, Barton, Md.; Mummification of the Fetus, Dr. H. W. Hodgson, Cumberland, Md.; Hysterectomy for Septic Conditions of the Uterus, Dr. T. A. Ashby, Baltimore, Md.; An Interesting Case, Dr. A. Harris, Parkersburg, W. Va.; Foreign Bodies in the Trachea, Dr. A. F. Spicher, Elk Lick, Pa. Dr. Percival Lantz, Dr. F. W. Fochtman, Secretaries.

Book Reviews.

PRACTICAL NOTES ON URINARY ANALYSIS.

By William B. Canfield, A. M., M. D., Lecturer on Clinical Medicine, University of Maryland, etc. Second Revised Edition. Detroit: George S. Davis, 1896. Pp. 7 to 106. Price, cloth, 50 cents; paper, 25 cents.

In this little work the author has outlined the rudiments of urinary analysis with which every physician should familiarize himself. The more important chemical tests and methods of microscopical examination are briefly, yet clearly, described. The writer describes the use of certain test papers and tablets in the examination for albumen and sugar, pointing out the great convenience of the reagents employed in this form. While we are not familiar with these methods, we should conclude, nevertheless, that it were better not to educate the practicing physicians to devices which of necessity must furnish results of questionable accuracy. We regret to find that the clinical significance of the results which may be obtained are not sufficiently detailed. To the beginner and the overbusy practitioner the little book will certainly be of value. The publisher's work has been well done.

REPRINTS, ETC., RECEIVED.

Catalogue of the Louisville National Medical College, 1896-97.

Annual Announcement of the New York Post-Graduate Medical School and Hospital for 1896-97.

College of Physicians and Surgeons, Baltimore. Annual Announcement and Catalogue. 1896-1897.

Some Studies of the Blood in Thyroid Feeding in Insanity. By Middleton L. Perry, M. D. Reprint from the *Medical Record*.

The Physical Director in the Second and Nineteenth Centuries. By Edward Morton Schaeffer, M. D., Baltimore. Reprint. 1896.

A Critical Study of a Few of the Changes Found in the Field of Vision, taken whilst the Eyes are Placed at Right Angles to the Ordinary Position. By Charles A. Oliver, A. M., M. D. Reprint from *Brain*.

The Frequent Dependence of Insomnia, Mental Depression and other Neurasthenic Symptoms upon Disease of the Gastro-Intestinal Tract. By Boardman Reed, M. D., Atlantic City, N. J. Reprint. 1896.

Current Editorial Comment.

TYPHOID FEVER.

Boston Medical and Surgical Journal.

FROM the evidence before us we think it reasonably certain that we have in Widal's serum reaction a valuable method of diagnosis in the later weeks of typhoid, and it seems not impossible that some similar method may be applied to the diagnosis of other diseases.

TIME FOR READING.

Atlantic Medical Weekly.

THERE is an old whist adage that it is unnecessary for a player who disregards all the rules of the game to announce that he never read a book on whist in his life, his play shows that; so with the physician who has no time to read, his practice will soon make that fact evident.

PUBLIC SPITTING.

Medical and Surgical Reporter.

THE American people have two ubiquitous manifestations of vulgarity. One is the irresistible desire to leave an autograph wherever the sublimity of nature or the ingenuity of man attracts a crowd; the other is indiscriminate spitting, regardless of the desecration of natural beauty, or of the contamination of places where human beings must live and congregate.

ETHICS IN EDUCATION.

The Hospital.

OF all the professions the medical is brought into the most intimate contact with delicate and embarrassing situations. Yet the medical student, alone among young professional men, is never during the whole of his curriculum offered any definite instructions in the art and practice of professional business and professional conduct. Chairs of ethics, or at least one general lectureship, should be established.

MEDICAL EDUCATION.

Philadelphia Polyclinic.

THE fourth year added to collegiate medical studies should be a preparatory, rather than a finishing, year; should be concerned with laying the foundations broad and deep, rather than with ornamenting the roof. Languages are desirable, but French and German much more than Latin and Greek; none of these is indispensable, though he who has them all will unquestionably be better equipped as scholar and as man. Scientific branches, however, are absolutely necessary.

Publishers' Department.

Convention Calendar.

NOVEMBER						
S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	..	..	..	..	..
..	..	..	..	..	..	..

DECEMBER						
S	M	T	W	T	F	S
..	..	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31	..	..
..	..	..	..	..	..	..

State Societies.

NOVEMBER.

27. NEW YORK STATE ASSOCIATION OF RAILWAY SURGEONS, at New York City. C. B. Henich, M. D., Secretary, Troy.

DECEMBER.

1. LYCOMING COUNTY (PA.), at Williamsport, Pa.
3. TRI-STATE, of Western Maryland, Western Pennsylvania and West Virginia, at Cumberland, Md.

National Societies.

NOVEMBER.

10. SOUTHERN SURGICAL AND GYNECOLOGICAL ASSOCIATION, at Nashville. W. E. B. Davis, M. D., Secretary, Birmingham, Ala.
16-19. PAN-AMERICAN MEDICAL CONGRESS, at City of Mexico, Mexico.

DECEMBER.

- 30-31. WESTERN SURGICAL AND GYNECOLOGICAL ASSOCIATION. Herman E. Pearse, M. D., Secretary, Kansas City, Mo.

BALTIMORE.

BALTIMORE MEDICAL ASSOCIATION, 847 N. Eutaw St. Meets 2d and 4th Mondays of each month.

BOOK AND JOURNAL CLUB OF THE FACULTY. Meets 2d and 4th Wednesdays, 8 P. M.

CLINICAL SOCIETY, 847 N. Eutaw St. Meets 1st and 3d Fridays—October to June—8.30 P. M. S. K. MERRICK, M. D., President. H. O. REIK, M. D., Secretary.

GYNECOLOGICAL AND OBSTETRICAL SOCIETY OF BALTIMORE, 847 N. Eutaw St. Meets 2d Tuesday of each month—October to May (inclusive)—8.30 P. M. W. S. GARDNER, M. D., President. J. M. HUNDLEY, M. D., Secretary.

MEDICAL AND SURGICAL SOCIETY OF BALTIMORE, 847 N. Eutaw St. Meets 2d and 4th Thursdays of each month—October to June—8.30 P. M. W. S. GARDNER, M. D., President. CHAS. F. BLAKE, M. D., Corresponding Secretary.

MEDICAL JOURNAL CLUB. Every other Saturday, 8 P. M. 847 N. Eutaw St.

THE JOHNS HOPKINS HOSPITAL HISTORICAL CLUB. Meets 2d and 4th Mondays of each month at 8 P. M.

THE JOHNS HOPKINS HOSPITAL MEDICAL SOCIETY. Meets 1st and 3d Mondays, 8 P. M.

THE JOHNS HOPKINS HOSPITAL JOURNAL CLUB. Meets 2d Friday and 4th Monday, at 8.15 P. M.

MEDICAL SOCIETY OF WOMAN'S MEDICAL COLLEGE. SUE RADCLIFF, M. D., President. LOUISE ERICH, M. D., Corresponding Secretary. Meets 1st Tuesday in the Month.

UNIVERSITY OF MARYLAND MEDICAL SOCIETY. Meets 3d Tuesday in each month, 8.30 P. M. HIRAM WOODS, JR., M. D., President, dent. E. E. GIBBONS, M. D., Secretary.

WASHINGTON.

CLINICO-PATHOLOGICAL SOCIETY. Meets at members' houses, 1st and 3d Tuesdays in each month. HENRY B. DEALE, M. D., President. R. M. ELLYSON, M. D., Corresponding Secretary. R. H. HOLDEN, M. D., Recording Secretary.

MEDICAL AND SURGICAL SOCIETY OF THE DISTRICT OF COLUMBIA. Meets 2d Monday each month at members' offices. FRANCIS B. BISHOP, M. D., President. LLEWELLYN ELIOT, M. D., Secretary and Treasurer.

MEDICAL ASSOCIATION OF THE DISTRICT OF COLUMBIA. Meets Georgetown University Law Building 1st Tuesday in April and October. W. P. CARR, M. D., President. J. R. WELLINGTON, M. D., Secretary.

MEDICAL SOCIETY OF THE DISTRICT OF COLUMBIA. Meets Wednesday, 8 P. M. Georgetown University Law Building. S. C. BUSSEY, M. D., President. S. S. ADAMS, M. D., Recording Secretary.

WOMAN'S CLINIC. Meets at 1833 14th Street, N. W., bi-monthly. 1st Saturday Evenings. MRS. M. H. ANDERSON, 1st Vice-President. MRS. MARY F. CASE, Secretary.

WASHINGTON OBSTETRICAL AND GYNECOLOGICAL SOCIETY. Meets 1st and 3d Fridays of each month at members' offices. GEORGE BYRD HARRISON, M. D., President. W. S. BOWEN, M. D., Corresponding Secretary.

PROGRESS IN MEDICAL SCIENCE.

A STANDARD PREPARATION.—There is no product before the profession today that has received higher commendation or more generally commands the confidence of physicians than Imperial Granum. Its varied uses and applications as a food for nursing mothers, infants, children, invalids and convalescents, give it such a wide range of employment as to constitute one of the most valuable and essential articles available. It may be classed as one of those very rare preparations which does not disappoint, but is all that is claimed for it. The unrivaled and unvarying purity of Imperial Granum, its palatability and valuable dietetic properties, have been recognized everywhere during the long term of years it has been manufactured and employed by physicians.

THE rapid demand for that new and indispensable instrument in physical diagnosis known as Bianchi's Phonendoscope demonstrates the long-felt need of an instrument which would prove thoroughly efficient in distinguishing heart sounds, murmurs and rales; and in the transmission of the fetal heart sounds, which are but imperfectly done with the stethoscope, upon which the profession has had to depend so long. The instrument is manufactured by H. A. Kaysan, Brooklyn, N. Y.

DIURETIN=KNOLL.

A TRUE DIURETIC.

DIURETIN is a pure diuretic, and acts by stimulation of the renal cells and renal parenchyma, increasing the flow of urine even in those cases in which the heart muscle no longer responds to the usual cardiac remedies.

DIURETIN is indicated in all cases of dropsy arising from cardiac or renal affections.

It possesses *no toxic properties*, and can be administered in large doses for a long period without fear of consequences, or acquirement of a habit.

It is frequently very active even where digitalis, strophanthus, etc., have failed.

The most excellent results are obtained in *cardiac hydrops*, but in *chronic nephritis* also the action of **DIURETIN** is in most cases superior to that of all other diuretics.

DIURETIN-KNOLL is a white powder clearly and readily soluble in distilled water, forming a permanent solution.

The best mode of dispensing it is in a mixture or in capsules, in doses of from 10 to 15 grains.

Sample and Literature free, on application to

McKESSON & ROBBINS, New York.

ANESTHETIZER.

The undersigned, having paid special attention to the administration of anesthetics, respectfully offers his services to the profession

EUGENE LEE CRUTCHFIELD, M. D.,

1232 E. Preston Street.

Office Hours .

7.30 to 9.30 A. M.

2 to 4 P. M.

6 to 7 P. M.

Telephone 2686-2.

Regular School of Medicine.
Co-educational.

HARVEY MEDICAL COLLEGE,

167-169-171 S. Clark St., Chicago.

Lectures 7 to 10 every week day evening. Clinics all day. Four years' graded course. Diplomas recognized by the Illinois State Board of Health. Tuition \$80; if paid in advance, \$65. For information, address

FRANCES DICKINSON, M. D.,

Secretary.



This Elixir is prepared from Chemically Pure Salts. FORMULA: Each fluid drachm contains: Bromide Potassium 5 grains, Bromide Sodium 5 grains, Bromide Ammonium 3 grains, Bromide Calcium 1½ grains, Bromide Lithium ½ grain, Bromide Iron ½ grain, with CAN. IND. and AROM.

MEDICAL PROPERTIES.—The preparation is entitled to rank as one of the most valuable therapeutical agents in *quieting non-inflammatory excitement of the Reflex Centers of the Cord, of the Peripheral Afferent Nerves, of the Genital Function and of the Cerebrum.* It is particularly valuable in *Epilepsy*, nearly always effecting a permanent cure where the cause is idiopathic, and the patient follows up the treatment closely. In many forms of *Puerperal, Infantile, and Hysterical Convulsions*, the most happy results follow its use. The **ELIXIR SIX BROMIDES** cannot be overrated in relieving *Nervous Headache, Sleeplessness, Neurasthenia, General Nervous Irritation*, and the various *Functional Disorders*. As a direct means of *diminishing the frequency of Seminal Emissions* it is of great service. We claim that the **ELIXIR SIX BROMIDES** is much *LESS DEPRESSANT to the CIRCULATION* than if a lesser number of the Bromides were administered; also the Iron it contains gives it the great advantage of not being *FOLLOWED*—even if its use is *LONG CONTINUED*—by the *SEVERE Anemia* that so often follows the use of the Bromides given alone. Physicians when prescribing will please write: *Bromidi ELIX. Sex.*—One bottle, (WALKER-G's.) Druggist will write directions on his own label. Attention is also called to our **ELIXIR SIX IODIDES, ELIXIR SIX HYPOPHOSPHITES, ELIXIR SIX APERIENS**, which are unexcelled for clinical efficiency and palatability.

A liberal discount will be allowed Physicians who desire to prove their clinical efficiency. Wholesale price per dozen: Iodides, \$8.00; Hypophosphites, \$8.00; Bromides, \$8.00; Aperiens, \$8.00.

SEND FOR DESCRIPTIVE CIRCULAR.

These Elixirs are kept in stock by Wholesale Druggists generally throughout the United States.

The Walker-Green Pharmaceutical Co.

(INCORPORATED.)
Head Office, 180 W. Regent St., Glasgow, Scotland.

WESTERN DEPOT, U. S. A.,

17 W. Fifth St., Kansas City, Mo.

PROGRESS IN MEDICAL SCIENCE.

ANY reader who has not tried that superior surgical dressing—Unguentine—should at once send for a sample, which the manufacturers, the Norwich Pharmacal Co. of Norwich, New York, offer to send, together with literature, on application. A trial will convince any physician of the merits of the preparation in all forms of inflammation.

PNEUMONIA IN CHILDHOOD.—No better tests of the safety of any antipyretic can be afforded than its action in the pneumonia of children; and it is in this class of cases that phenacetine has proved decidedly superior to all other drugs of its kind. Although yielding in efficiency to none as a febrifuge, it possesses the distinct merit of not weakening the heart or depressing the nervous system, and of exerting a general sedative action. In a clinical lecture recently delivered at the New York Post-Graduate Medical School, Prof. Chapin stated that Phenacetine is the safest of the coal tar products in the pneumonia of children in connection with cold applications to the head.

A RELIABLE REMEDY IN NEUROSES.—When it is remembered how few, if any, remedies are found in the physician's armamentarium which can be relied on in such disorders as epilepsy, chorea, hysteria and other neurotic affections, practitioners are ready to receive with favor one that through clinical experience in the hands of careful observers demonstrates its superior efficacy. To the profession is offered the compound known as Pil. Neurolitic, manufactured by the Anchor Chemical Company of Akron, Pa., who are prepared to show a remarkably high percentage of good results in the cases indicated. The ingredients of the compound are hydro-ferrocyanide of iron, ext. capparis carriaceae, ext. phoradendron, with valerianate of zinc, and hyoscin.

TREATMENT OF UTERINE DISORDERS BY THE GENERAL PRACTITIONER.—That a very large percentage of the ailments of the female pelvic organs can be relieved and cured by intelligent and well directed local and constitutional treatment, is a fact which is becoming more and more evident every day. Indeed it has always been held by the careful

and conservative element of the medical profession that resort to the surgeon's knife is vastly of more frequent occurrence than there is necessity for. I wish to say that the preparation Dioviburnia is one of the best uterine remedies I have ever encountered. I must confess, however, that I was prejudiced against it at first (as I am against proprietary medicines in general), but hearing it recommended by a physician of eminence and a gentleman for whom I entertain the warmest personal regard, I was led to give it a trial.—D. S. MADDOX, M. D., Coroner of Marion County, Ohio, in *Medical Summary*.

THE results which have been attained in the manufacture of Dukehart's Concentrated Extract of Malt and Hops afford to the medical profession one of the most useful and reliable preparations; as well as the most palatable of any extract of malt. Dukehart's Malt Extract is not a beverage, but a medicine, and is indicated in all forms of disease where nutrition is at fault. It is made of the best Canada barley only and is so prepared as to retain all of the diastase of the malt. By improved methods of concentration the advantage of the small dose (3ss to ʒi) of the heavy syrupy malts is secured. By the addition of hops the sweet, sickening taste of these malts is removed while in the hops the bitter, tonic principle of the light, beery malts is retained. Being a heavy, concentrated preparation it presents more of the nourishing principle of the grain than can be found in any light malt, without the carbonic acid and large per cent. of alcohol found in these malts. It will keep in any climate, and as a galactagogue is claimed to be the best known.

THE USE OF PROTONUCLEIN.—To the editor of the *Journal of the American Medical Association*: I am much obliged to you for the space you were kind enough to give my article on Protonuclein and a case treated with that medicine alone. I am still prescribing Protonuclein in my daily practice with increased confidence. I am free to state I have had more satisfactory results from this medicine than from any one remedy I have ever prescribed, except perhaps quinine in malaria. Having had quite a long experience in the practice of medicine, I trust I am not entirely deceived.—A. C. JACKSON, M. D., Goshen, Indianapolis.

THE AMERICAN PEDIATRIC SOCIETY

RECOMMENDS

THE USE OF

ANTITOXIN

of "The most concentrated strength of an absolutely reliable preparation"

Tests made by the Bacteriologist of Pennsylvania State Board of Health, (report published in "Public Health," July, 1896,) shows Mulford's Antitoxin to be thoroughly reliable and the most concentrated.

FORTY THOUSAND CASES

LESS THAN 5% DEATHS.... OF DIPHTHERIA.

Is the record of over ten thousand physicians in general practice, with Mulford's Antitoxin.

Mulford's Antitoxin is Supplied in Sterilized Glass-Stoppered Vials, as follows:

"Standard" No. 1, (100 units to each cc.) in vials of 500 units, \$1.00; No. 2, 1000 units, \$1.75; No. 3, 2000 units, \$3.25
 "Potent" No. 1, (250 units to each cc.) in vials of 500 units, \$1.25; No. 2, 1000 units, \$2.75; No. 3, 2000 units, \$4.00
 "Extra Potent" No. 1, (500 units to each cc.) in vials of 500 units, \$1.50; No. 2, 1000 units, \$2.75; No. 3, 2000 units, \$5.00

Special Syringes for Antitoxin injection.

The latest treatise on Diphtheria will be forwarded free upon application.

H. K. MULFORD COMPANY,

CHICAGO,
112 & 114 Dearborn St.

CHEMISTS,

PHILADELPHIA.

SOMETHING NEW

IN ELECTRO-THERAPEUTICS IS OF

INTEREST TO EVERY PHYSICIAN.

THE SEVENTH EDITION OF
OUR ILLUSTRATED CATALOGUE IS

JUST OUT

GIVING FULL DESCRIPTIONS OF OUR WORLD-CELEBRATED
WILLMS INTERCHANGEABLE DRY CELL BATTERIES

TOGETHER WITH ALL OUR LATEST IMPROVED APPARATUS FOR MEDICAL ELECTRICITY. SEND US 4 CENTS IN
STAMPS (ACTUAL COST OF MAILING) AND YOU WILL BE SURE TO

The CHLORIDE OF SILVER DRY CELL BATTERY CO.,

BALTIMORE, MD., U. S. A.

GET IT!





It never irritates

if used with a clean needle.

Dose: 5 to 20 minims.

It never nauseates

when given by the mouth.

Dose: 5 to 30 minims.

50 Cents net per Bottle to Physicians.

SHARP & DOHME

BALTIMORE

CHICAGO

NEW YORK

Your Druggist has it or can get it for you.



ARGONIN



A New Silver-Proteid Compound and Substitute for Nitrate of Silver
IN THE TREATMENT OF GONORRHOEA.

Unlike Nitrate of Silver



IT DOES NOT STAIN.
IS UNIRRITATING TO MUCOUS MEMBRANES.
IS NOT PRECIPITATED BY ALBUMEN.

LITERATURE UPON APPLICATION TO VICTOR KOECHL & CO.,

Sole Licensees for U. S.

79 MURRAY ST., NEW YORK.

WHEELER'S TISSUE PHOSPHATES.

Wheeler's Compound Elixir of Phosphates and Calisaya. A Nerve Food and Nutritive Tonic for the treatment of Consumption, Bronchitis, Scrofula and all forms of Nervous Debility. This elegant preparation combines in an agreeable Aromatic Cordial, in the form of a Glycerite acceptable to the most irritable conditions of the stomach: Bone Calcium Phosphate Ca_2PO_4 , Sodium Phosphate Na_2HPO_4 , Ferrous Phosphate Fe_2PO_4 , Trihydrogen Phosphate H_3PO_4 , and the active principles of Calisaya and Wild Cherry. The special indication of this combination of Phosphates in Spinal Affections, Caries, Necrosis, Ununited Fractures, Marasmus, Poorly Developed Children, Retarded Dentition, Alcohol, Opium and Tobacco Habit, Gestation and Lactation to promote Development, etc., and as a physiological restorative in Sexual Debility and all used-up conditions of the Nervous System should receive the careful attention of good therapeutists.

Notable Properties: As reliable in Dyspepsia as Quinine in Ague. Secures the largest percentage of Benefit in Consumption and all Wasting Diseases, "by determining the perfect digestion and assimilation of food." When using it, Cod Liver Oil may be taken without repugnance. It renders success possible in treating chronic diseases of Women and Children, who take it with pleasure for prolonged periods, a factor essential to maintain the good will of the patient. Being a Tissue Constructive, it is the best "general utility compound" for Tonic Restorative purposes we have, no mischievous effects resulting from exhibiting it in any possible morbid condition of the system. Phosphates being a natural food product, no substitute will do their work in the system.

DOSE—For an adult, one tablespoonful three times a day, after eating; from seven to twelve years of age, one dessertspoonful; from two to seven, one teaspoonful; for infants, from five to twenty drops, according to age.

Prepared at the Chemical Laboratory of T. B. WHEELER, M. D., Montreal, P. Q.

To prevent substitution, put up in pound bottles only and sold by all Druggists, at One Dollar.

Read the pamphlet on this subject sent you.



Standards of Reliability.

SEND FOR SAMPLES AND FORMULA LISTS.

"The Pioneer American Capsule House."

H. PLANTEN & SON,

(ESTABLISHED 1836)

New York

PRINTING FOR PHYSICIANS

AT THE OFFICE OF
MARYLAND
MEDICAL JOURNAL.

Nerve Tonic Properties of Buffalo Lithia Water

SPRING
No. 1

DR. J. ALLISON HODGES, *Professor of Anatomy, and Clinical Professor of Nervous and Mental Diseases, University College of Medicine, Richmond, Va.*: "BUFFALO LITHIA WATER, Spring No. 1, possesses decided nerve tonic and restorative properties, and is an efficient remedy in a wide range of Nervous Disorders. In all of the many cases of Nervous Indigestion and Neurasthenia in which I have prescribed it, it has proved highly beneficial."

DR. JOHN HERBERT CLAIBORNE, *of Petersburg, Va., ex-President and Honorary Fellow Medical Society of Virginia*: "The peculiar nerve tonic properties of the BUFFALO LITHIA WATER, Spring No. 1, give to it very remarkable recuperative power in cases of persons broken down by overwork or excess, or by tardy and imperfect convalescence."

DR. JOHN H. TUCKER, *of Henderson, N. C., Member of the Medical Society of North Carolina, President of the North Carolina Medical Association*: "The action of the BUFFALO LITHIA WATER, Spring No. 1, is that of a decided nerve tonic. Nervous Dyspepsia, with its train of distressing symptoms, is promptly and permanently relieved by it."

DR. WM. O. BASKERVILLE, *Oxford, N. C.*: "BUFFALO LITHIA WATER, Spring No. 1, is a powerful tonic to the Nervous System as well as to the blood. I have known it to produce magical effects in Nervous Prostration, resulting from overwork, prolonged mental strain, etc., and convalescents from adynamic diseases have been restored to health in a surprisingly short time, the water being a direct blood-producer, a valuable heart-tonic, and a physiological diuretic."

DR. GEORGE A. FOOTE, *of Warrenton, N. C., ex-President of Medical Society of North Carolina*: (Spring No. 1.) "As a remedy in cases of Nervous Exhaustion, Lassitude, etc., I know of nothing in the domain of *Materia Medica* equal to the Water of this Spring."


Water in Cases of One Dozen Half-Gallon Bottles, \$5.00. F. O. B. Here

SOLD BY ALL FIRST-CLASS DRUGGISTS

THOS. F. GOODE, Proprietor, Buffalo Lithia Springs, Va.



“Does not depress the Heart.”



A HIGH REPUTATION SUSTAINED

NO DRUG HABIT INDUCED — NO TOXIC EFFECT.

Antikamnia

OPPOSED TO PAIN.

ONE OF THE CERTAINTIES OF MEDICINE

Send your Professional Card for Brochure and Samples to

THE ANTIKAMNIA CHEMICAL CO.
St. Louis, Mo., U. S. A.





Nerve Tonic Properties of Buffalo Lithia Water

SPRING
No. 2

HUNTER MCGUIRE, M.D., LL.D., of Richmond, Va.: "BUFFALO LITHIA WATER, Spring No. 2, has never failed me as a powerful nerve tonic when I have prescribed it as such, producing a decided calming effect in men and women whose broken-down nervous system had kept them in perpetual motion, who could not sleep and who could not rest. I sometimes think it must contain hypophosphites of lime and soda. It acts as that compound does—as a tonic and alterative."

DR. WM. A. HAMMOND, Washington, D. C.: "In all cases of nervous diseases under my charge in which there is an excess of Uric Acid in the blood, I use the BUFFALO LITHIA WATER, Spring No. 2, in large quantities. By this I do not mean that I have the patient drink merely a tumbler or two in the course of the day, but that I flood him, so to speak, with the water, making him drink a gallon or even more in the twenty-four hours."

JAMES L. CABELL, M.D., A.M., LL.D., Professor of Physiology and Surgery in the Medical Department of the University of Virginia and President of the National Board of Health: "I have recently read with interest a paper in the *New York Medical Journal* on the 'BUFFALO LITHIA WATER in diseases of the Nervous System,' in which the writer, Dr. Boyland, citing his own observations and those of other eminent physicians, ascribes to this Water a special virtue as a direct tonic for the nervous system in cases of Cerebral Exhaustion. I have only had occasion to test its effects in this direction in cases in which the Nervous Symptoms may have been due to a Lithæmic condition, for which it is a well-known therapeutic resource. In these cases the relief following the use of this remedy was very decided."

DR. CHARLES G. HILL, Professor of Nervous and Mental Diseases in the Baltimore Medical College, etc.: "BUFFALO LITHIA WATER is my favorite of all alkaline mineral waters, and I always order it when I am anxious to get decided results. In * * * many forms of nervous exhaustion, accompanying an excess of urates and phosphates, it is invaluable."

DR. GRAEME M. HAMMOND, of New York City: "In certain cases of Melancholia, accompanied by excessive elimination of Urates and Uric Acid, BUFFALO LITHIA WATER is often the only remedy necessary."

Water in Cases of One Dozen Half-Gallon Bottles, \$5.00. F. O. B. Here.

SOLD BY ALL FIRST-CLASS DRUGGISTS.

THOS. F. GOODE, Proprietor, Buffalo Lithia Springs, Va.

"Marvelous Discovery."

BATTLE & Co., St. Louis.

You kindly sent me a bottle of Papine some time ago, and as I am rather slow to adopt new remedies, having seen so many come and go, and no good, I did not use the Papine for some time, but finally I did try it, and to my general satisfaction. I have used several bottles, and consider it your greatest success. I find it to relieve pain like other opiates where nothing but opium will relieve, and without nausea or any disturbance of the digestive system. Recently, I have had a patient under a surgical operation, who suffered pain for nearly a week. I used at first a hypodermic injection of morphine and atropine, but the nausea and vomiting were severe, and the patient informed me that any preparation of opium always caused nausea and all its attendant distress. I then gave Papine regularly whenever she needed it, with perfect relief of the pain, with no nausea or any unpleasant effects whatever. I consider your discovery of Papine a marvelous success in therapeutics. If you keep the quality up to the standard, it will only require a trial by any intelligent physician to make it, as Dr. Bedford used to say, his sheet anchor for the relief of pain.

D. W. JONES, M. D.

236 Clarendon Street, Boston, Mass.

HENRY B. EGGERS, Professional Masseur.

1626 Harford Ave., NEAR NORTH AVE

Graduate of the University of Leipzig, Germany; Lecturer on Massage at the University of Vienna, Austria, and Hamburg City Hospital, Germany.

Scientific Massage Treatment,
Swedish Movement.

15 Years' Hospital Experience. Lady Attendants.

References by Permission:—T. E. Shearer, M. D.
John N. Mackenzie, M.D., M. B.
Billingslea, M.D., Chas. G. Hill,
M.D., Delano Ames, M.D., Theo.
dore Cook, Sr., M.D., George J.
Preston, M. D., W. T. Howard,
M. D., James E. Dwinelle, M. D.

Patients boarded
and Treated
at My Institute.

Registered at Directory for Nurses, — — —
— — — Medical and Chirurgical Faculty of Md.

University of Pennsylvania DEPARTMENT OF MEDICINE.

The 132nd ANNUAL SESSION will begin Friday October 1, 1897, at 12 M., and will end at Commencement, the second Thursday in June.

The Curriculum is graded, and attendance upon four Annual Sessions is required. College graduates in Arts or Science, who have pursued certain Biological studies, are admitted to advanced standing.

Practical Instruction, including laboratory work in Chemistry, Histology, Osteology, and Pathology, with Bedside Instruction in Medicine, Surgery, Gynecology, and Obstetrics, is a part of the regular course, and without additional expense.

For catalogue and announcement, containing particulars, apply to

DR. JOHN MARSHALL, DEAN,
36th St. and Woodland Avenue, Philadelphia.

Pil. Neurolitic.

A REMEDY FOR EPILEPSY

that records over 90 per cent. of
cures. Also indicated in

CHOREA,
CHLOROSIS, and all
NEUROTIC OR PERIODICAL
DISTURBANCES of the
NERVOUS SYSTEM.

A valuable remedy for those peculiar Nervous and Hysterical conditions of the female sex.

Put up in bottles of 100 (sufficient for a month's treatment), which will be mailed on receipt of price, 75 cents. Three bottles, \$2.00.

Formula and other particulars
on application.

ANCHOR CHEMICAL CO.,
Akron, Pennsylvania.

Mention this Journal.

MEDICAL DEPARTMENT OF THE COLUMBIAN UNIVERSITY.

Instruction is given by lectures, clinical and laboratory demonstrations in Anatomy, Physiology, Chemistry, Materia Medica, Surgery, Practice, Obstetrics, Normal and Pathological Histology, Hygiene and Bacteriology, Ophthalmology, Laryngology and Otology, Gynecology, Dermatology, Neurology, Diseases of Children, Medical Jurisprudence. The clinical facilities are ample and the laboratories well equipped.

For the Annual Announcement address DR. D. K. SHUTE, DEAN.

DR. E. A. DE SCHWEINITZ, Secretary-Treasurer, 1325 H St., N. W., Washington, D. C.

The Seventy-Fifth Session
begins September 30, 1896
and Continues for Seven
Months. Four Years' Course
Required.

BELLEVUE HOSPITAL MEDICAL COLLEGE

CITY OF NEW YORK. SESSIONS 1896-97.

The REGULAR SESSION begins on Monday, September 21, 1896, and continues for twenty-six weeks. During this Session, in addition to the regular didactic lectures, two or three hours are daily allotted to clinical instruction. Attendance upon three regular courses of lectures is required for graduation. The examinations of other accredited Medical Colleges in the elementary branches are accepted by this College.

The SPRING SESSION consists of daily recitations, clinical lectures and exercises, and didactic lectures on special subjects. This Session begins March 22, 1897, and continues until the middle of June.

The CARNEGIE LABORATORY is open during the collegiate year, for instruction in microscopical examinations of urine, practical demonstrations in medical and surgical pathology, and lessons in normal histology and in pathology, including bacteriology.

For the annual Circular, giving, in full, requirements for graduation and other information, address PROF. AUSTIN FLINT, Secretary, Bellevue Hospital Medical College, foot of East 26th St., New York City

DUKEHART'S
PURE EXTRACT
OF
MALT AND HOPS



This Malt is not a BEVERAGE,
but a MEDICINE, a tablespoon-
ful and a half being a dose; about
16 doses to the bottle. Non-Alco-
holic, and is the best galactagogue
known. * * * *

"AMERICA'S GREATEST RAILROAD."

NEW YORK
CENTRAL
& HUDSON RIVER R. R.

The Four-Track Trunk Line.

Trains leave Grand Central Station, Fourth Avenue and 42nd Street, New York, center of hotel, residence and theatre district, as follows:—

For Albany, Troy, Utica, Syracuse, Rochester, Buffalo, Niagara Falls and the West, week days: 8:30, 9:30, 10:30 A. M.; 1:00, 4:30, 6:00, 7:30, 9:15 P. M. 12:10 midnight; Sundays, 9:30 A. M., 1:00, 4:30, 6:00, 7:30, 9:15 P. M.

For Saranac Lake, Lake Placid and Montreal, via Adirondack Mountains; week days, 8:30 A. M., 6:00 P. M.: Sundays, 6:00 P. M.

For Montreal, via Saratoga, Lake George, Lake Champlain and via Burlington and Green Mountains; week days, 9:30 A. M., 6:25 P. M.: Sundays, 6:25 P. M.

For the Berkshire Hills—9:06 A. M., 3:35 P. M., daily, except Sunday.

MEDICAL CONVENTIONS

1896.

Physicians and others attending the various Medical Conventions for 1896 should bear in mind that the B. & O. offers special inducements to conventions of this kind. The scenic attractions of this Route are unsurpassed in this country. All B. & O. trains between the East and West run via Washington, and sufficient time limit is given on tickets to allow stop-over at the National Capital.

For Rates and further Information, Address

CHAS. O. SCULL, General Passenger Agent,

Or L. S. ALLEN, A. G. P. A., Chicago, Ill.

Baltimore, Md.

UNIVERSITY OF MARYLAND

SCHOOL OF MEDICINE

BERNARD CARTER, ESQ., PROVOST.

N. E. Cor. Lombard and Greene Streets, Baltimore, Md.

The Ninetieth Annual course of Lectures in this Institution will commence on October 1, 1896.

GEORGE W. MILTENBERGER, M. D., Emeritus Professor of Obstetrics and Honorary President of the Faculty.

SAMUEL C. CHEW, M. D., Professor of Principles and Practice of Medicine and Clinical Medicine.

WILLIAM T. HOWARD, M. D., Professor of Diseases of Women and Children, and Clinical Medicine.

JULIAN J. CHISOLM, M. D., Emeritus Professor of Eye and Ear Diseases.

FRANCIS T. MILES, M. D., Professor Physiology and Clinical Professor of Diseases of Nervous System.

L. McLANE TIFFANY, M. D., Professor of Surgery.

I. EDMONDSON ATKINSON, M. D., Professor of Therapeutics, Clinical Medicine and Dermatology.

R. DORSEY COALE, Ph. D., Professor of Chemistry and Toxicology.

RANDOLPH WINSLOW, M. D., Professor of Anatomy and Clinical Surgery.

L. E. NEALE, M. D., Professor of Obstetrics.

C. W. MITCHELL, M. D., Professor of Materia Medica and Clinical Medicine.

JOHN N. MACKENZIE, M. D., Clinical Professor of Diseases of the Throat and Nose.

J. HOLMES SMITH, M. D., Associate Professor of Anatomy and Demonstrator of Anatomy.

C. O. MILLER, M. D., Associate Professor of Histology and Pathology.

J. MASON HUNDLEY, M. D., Associate Professor of Diseases of Women and Children.

HIRAM WOODS, Jr., M. D., Clinical Professor of Eye and Ear Diseases.

JOSEPH T. SMITH, M. D., Lecturer on Hygiene, Medical Jurisprudence and Clinical Medicine.

FERD. J. S. GORGAS, M. D., D. D. S., Professor of Principles of Dental Surgery, and Dental Mechanism.

JAMES H. HARRIS, M. D., D. D. S., Professor of Operative and Clinical Dentistry.

For Circulars and any other further information apply to

R. DORSEY COALE, Ph. D., Dean, 865 Park Avenue.

DENTAL DEPARTMENT.

The success which has attended the organization of the Dental Department of the University of Maryland, as evinced by the large class in attendance on the lectures and demonstrations of the last session, is unprecedented in the history of any other dental institution. It is also an evidence of a just appreciation of the advantages which the dental department of an old and honorable university offers to the student in the acquirement of knowledge, theoretical and practical, so essential to the successful practice of dentistry. Every facility is afforded for thorough instruction in all the branches pertaining to dental science.

For further information, apply to

F. J. S. GORGAS, M. D., D. D. S.,

Dean of the Dental Department of the University of Maryland,
845 N. Eutaw St., Baltimore, Md.

UNIVERSITY HOSPITAL,

S. W. COR. LOMBARD AND GREENE STS., BALTIMORE, MD.

This Institution, most pleasantly located, the capacity and comforts of which have undergone great development to meet the increasing demands of patients, is fitted up with all modern conveniences for the successful treatment of Medical and Surgical Diseases.

Its Medical staff comprises the FACULTY OF THE UNIVERSITY, and the entire management of the Institution, being under the direct supervision of that body, the sick may rely upon enjoying the benefits of an Infirmary as well as the comforts and privacy of a home, while seeking treatment for medical diseases and undergoing surgical operations.

Especial attention is called to the Lying-in Department of the Hospital, and the thorough privacy given to confinements.

When persons are compelled to leave their country residences to seek professional medical assistance in Baltimore no Institution offers greater facilities than the University Hospital, which presents, amongst other great advantages, that of having three resident Physicians, appointed by the Medical Faculty, all of whom are usually, one is always, in the building to carry out the instructions of the Professors.

BOARD IN THE WARDS \$5 PER WEEK, BOARD IN PRIVATE ROOMS \$10 TO \$15 PER WEEK.

MEDICAL STAFF OF THE HOSPITAL.

SURGEONS.

Prof. J. J. Chisolm, M. D., Prof. L. McLane Tiffany, M. D., Prof. Randolph Winslow, M. D.

Prof. J. Holmes Smith, M. D., Prof. Hiram Woods, Jr., M. D.

PHYSICIANS.

Prof. S. C. Chew, M. D., J. S. Fulton, M. D., Prof. W. T. Howard, M. D.,

Prof. I. E. Atkinson, M. D., Prof. F. T. Miles, M. D., Prof. C. W. Mitchell, M. D.

For further particulars, apply to the Medical Superintendent, ST. CLAIR SPRUILL, M. D. or R. DORSEY COALE, Ph. D., Dean.

THE IMPROVED "YALE" SURGICAL CHAIR.

HIGHEST AWARD WORLD'S FAIR, OCT. 4TH, 1893.




Fig. V—Semi-Reclining.

- 1st. Raised by foot and lowered by automatic device.—Fig. I.
- 2nd. Raising and lowering without revolving the upper part of the chair.—Fig. VII.
- 3rd. Obtaining height of 39½ inches.—Fig. VII.
- 4th. As strong in the highest, as when in the lowest position.—Fig. VII.
- 5th. Raised, lowered, tilted or rotated without disturbing patient.
- 6th. Heavy steel springs to balance the chair.
- 7th. Arm Rests not dependent on the back for support.—Fig. VII—always ready for use; pushed back when using stirrups—Fig. XVII—may be placed at and away from side of chair, forming a side table for Sim's position.—Fig. XIII.
- 8th. Quickest and easiest operated and most substantial secured in positions.
- 9th. The leg and foot rests folded out of the operator's way at any time.—Figs. XI, XV and XVII.
- 10th. Head Rest universal in adjustment, with a range of from 14 inches above seat to 12 inches above back of chair, furnishing a perfect support in Dorsal or Sim's position.—Figs. XIII and XV.
- 11th. Affording unlimited modifications of positions.
- 12th. Stability and firmness while being raised and rotated.
- 13th. Only successful Dorsal position *without moving patient*.
- 14th. Broad turntable upon which to rotate the chair, which cannot be bent or twisted.
- 15th. Stands upon its own merits and not upon the reputation of others.



Fig. XVII—Dorsal Position.

Pronounced the *ne plus ultra* by the Surgeon, Gynecologist, Oculist and Aurist.

MANUFACTURED EXCLUSIVELY BY

CANTON SURGICAL AND DENTAL CHAIR CO.,

38 to 54 East Eighth and 50 to 52 South Walnut Streets, CANTON, OHIO.

Practical Notes on Urinary Analysis



.....BY.....

W.B. Canfield, M.D.

The demand for Dr. Canfield's book has compelled the publication of a

2d Edition, which is Now Ready.

The author says in his Preface: "In this edition changes and additions have been made to bring the book up to modern requirements." The book is what its title indicates—*practical*. Its 100 pages are packed with information concerning the general character of the urine; its normal constituents, organic and inorganic; its abnormal constituents; sediment, organized and unorganized; the condition of the urine in simple fever, nephritis both acute and chronic, contracted and amyloid kidney, diabetes, uremia, typhoid fever, cystitis, etc.; with a full description of reagents and apparatus. The principal object of the author has been to exhibit all the various tests for discovering urinary constituents: these tests are described briefly, but distinctly, and illustrated where necessary. "Besides drawing largely from his own experience, the writer has unhesitatingly made use of the literature on the subject."

The book contains eighteen illustrations, and, so far as typographical work is concerned, is far ahead of the first edition. It is issued in embossed paper covers; also in cloth. The price in paper, 25 cents; in cloth, 50 cents. Postage prepaid.

GEO. S. DAVIS, Medical Publisher,
Box 470. - - - DETROIT, MICH.


Attention— Physi- cians!

We make a specialty of Phaetons for physicians, and our prices are a revelation.

Our Art Catalogue explains. Send for it.

"You have saved me \$45, and my phaeton is just perfect," writes a well known physician.

The Columbus **PHAETON Co.**, Columbus, O.



BALL-BEARING Axles, with Rubber or Pneumatic Tires, when desired.

HOSPITAL FOR CONSUMPTIVES.

THE attention of the medical profession of Maryland is called to the Hospital for Consumptives of Maryland, which is situated at the corner of Hoffman Street and Park Avenue, Baltimore, and is open for the reception of a limited number of consumptive cases at a moderate charge per week. The visiting staff consists of Drs. Walton Bolgiano, G. Milton Linthicum, Walter P. Smith and William B. Canfield, assisted by a consulting staff of the most prominent regular physicians of Baltimore. For particulars address Mrs. G. R. Bennett, President, No. 106 West North Avenue, Baltimore.

Physicians

IN NEED OF

Letter Heads,
Bill Heads,
Note Heads,
Cards,

CALL ON OR ADDRESS

Maryland Medical Journal,

209 PARK AVENUE,

Baltimore

Western Pennsylvania Medical College. PITTSBURGH, PA.

MEDICAL DEPARTMENT OF THE WESTERN UNIVERSITY OF PENNSYLVANIA.

Sessions 1896-1897.

The REGULAR SESSION begins on third Tuesday of September, 1896, and continues six months. During this session, in addition to four Didactic Lectures, two or three hours are daily allotted to Clinical Instruction. Attendance upon four regular courses of Lectures is requisite for graduation. A four years' graded course is provided. The SPRING SESSION embraces recitations, clinical lectures and exercises, and didactic lectures on special subjects; this session begins the second Tuesday in April, 1897, and continues ten weeks.

The laboratories are open during the collegiate year for instruction in chemistry, microscopy, practical demonstrations in medical and surgical pathology, and lessons in normal histology. Special importance attaches to "the superior clinical advantages possessed by this College." For particulars, see annual announcement and catalogue, for which address the Secretary of the Faculty, PROF. T. M. T. MCKENNAN, 810 Penn Ave., Pittsburgh, Pa. Business correspondence should be addressed to PROF. W. J. ASDALE, 5523 Ellsworth Pve., Pittsburgh, Pa.

THE INEBRIATES' HOME, FORT HAMILTON, N.Y.

INCORPORATED, 1866.

A Hospital for the Treatment of
Alcoholism and the Opium Habit.

President: John Neville.

Secretary and Superintendent: Samuel A. Avila

Resident Physician: F. L. Dolbeare, M. D.

Assistant: H. Leach Bender, M. D.

The building is situated in a park overlooking and commanding fine views of the narrows, and the upper and lower bay of New York Harbor. The accommodations, table attendance and nursing are of the best character and suited to first-class patients.

For manner and terms of admission, apply to the Resident Physician at the Institution, Fort Hamilton, L. I., New York, or Box 42, Station N, Brooklyn, N. Y.

ELEGANT PHARMACEUTICAL SPECIALTIES.

Attention is called to the EXCELLENCE, and valuable THERAPEUTIC PROPERTIES, of these Preparations.

ROBINSON'S HYPOPHOSPHITES, NUTRITIVE, TONIC, ALTERATIVE.

A Standard Remedy in the Treatment of Pulmonary Phthisis, Bronchitis, Scrofulous Taint, General Debility, etc. Stimulates Digestion and promotes Assimilation.

R FORMULA—EACH FLUID OUNCE CONTAINS:

Hypophosphite Soda . . . 2 gr.	Hypophosphite Iron . . . 1½ gr.	Hypophosphite Manganese . . . 1½ gr.
Lime 1½ gr.	Quinine ¼ gr.	Strychnine 1-16 gr.

DOSE—One to four fluidrachms.

PINT BOTTLES, \$1.00.

This preparation does not precipitate—retains all the salts in perfect solution.

ROBINSON'S LIME JUICE AND PEPSIN.

(Pure Concentrated Pepsin, combined with Pure Lime Juice.)

An Exceedingly Valuable Combination in cases of Dyspepsia, Indigestion, Bilioussness, Heartburn and Mal-Assimilation.

APERIENT AND CHOLAGOGUE.

IMPAIRED digestion is a consequence of a sedentary life, coupled with mental and nervous strain. **RELIABLE PEPSIN** is one of the best digestive agents known. **PURE LIME JUICE** with its aperient and cholagogue characteristics, with the Pepsin furnishes a compatible and most efficient combination as a remedy for the disorders named.

ROBINSON'S LIME JUICE AND PEPSIN is palatable and grateful to the taste.

DOSE—Adult, dessertspoonful to tablespoonful, after eating. Children, one-half to one teaspoonful, according to age. **Price, 6 oz. Bottles, 50 cts. 16 oz. Bottles, \$1.00.**

Please Specify **ROBINSON'S.**
For Sale by Druggists.

ROBINSON-PETTET CO.,

Manufacturing Pharmacists,

LOUISVILLE, KY.

Manufacture also Robinson's Hypophosphites and Wild Cherry, Robinson's Aromatic Fluid Pepsin, Robinson's Phosphoric Elixir, Robinson's Wine Coca, Robinson's Elixir Paraldehyd, Robinson's Elixir Cascara Sagrada.

Founded 1842.—Incorporated 1890. Samples gratis to Practitioners, but at their expense for Express charges

DR. JULIUS FEHR'S "COMPOUND TALGUM" "BABY POWDERS" THE "HYGIENIC DERMAL POWDER" — FOR — Infants and Adults.

Originally investigated and its therapeutic properties discovered in the year 1868 by Dr. Fehr, and introduced to the Medical and Pharmaceutical Professions in the year 1873.

COMPOSITION—Silicate of Magnesia with Carbolic and Salicylic Acids.

PROPERTIES—Antiseptic, Antizymotic and disinfectant.

Useful as a General Sprinkling Powder; with positive Hygienic, Prophylactic and Therapeutic properties.

☞ Good in all affections of the Skin.

SOLD BY THE DRUG TRADE GENERALLY.

Per box, plain, 25c; per box perfumed, 50c. Per dozen, plain \$1.75; per dozen perfumed, \$3.50.

THE MANUFACTURER,

**JULIUS FEHR, M. D., Ancient Pharmacist,
HOBOKEN, N. J.**

Only advertised in Medical and Pharmaceutical Prints.



Mention this Journal.

"Urge the Profession."

(See Letter Below.)

A PHOSPHORIZED CEREBRO-SPINANT, FRELIGH'S TONIC.

FORMULA:

Ten minims of the Tonic contain the equivalents (according to the formulæ of the U. S. P. and Dispensatory) of

Tinct. Nux Strychnos.....	1 minim.
" Ignatia Amara.....	1 "
" Cinchona.....	4 "
" Matricaria.....	1 "
" Gentian.....	$\frac{1}{2}$ "
" Columbo.....	$\frac{1}{2}$ "
" Phosphorus, C. P.....	1-300 grain.
Aromatics.....	2 minims.

Dose: 5 to 10 drops, in half wine glass of water.

INDICATIONS.

Neurasthenia, Sick and Nervous Headache, Nervous Dyspepsia, Indigestion, Paralysis, Locomotor-Ataxia, Impotence, Loss of Vital Fluids (through excesses or otherwise), Debility of old Age, Mental Strain and Over-work, and in the Treatment of Mental and Nervous Diseases.

One of the oldest and best known of the Washington physicians writes as follows:

"I have used your Cerebro-Spinant, Freligh's Tonic, since its first introduction all of ten years. When I prescribe it there is nothing more to trouble me, as I am certain of results. For a while back, though, I did not obtain the usual results. At first I was inclined to think you were letting it fall from its high standard, but wishing to use it in my own family lately, I sent to you direct for a bottle. It is sufficient to say that I think you have even *Advanced* the standard. The fault before was the growing evil of substitution. As every bottle of the Tonic bears the formula upon it, and conforms fully to the requirements of the Code, I now invariably write "*Original Bottle*" upon every $\boxtimes$ for it, and call the attention of the patient also to it. I know your difficulty in obtaining evidence of substitution sufficient to convict the offender, but if in your advertisements you will **urge the profession** to stipulate "*Original Bottle*" on the $\boxtimes$, it will benefit all of us, and help to prevent the evil. We must do this with articles as valuable as your Cerebro-Spinant, which is a *sine qua non* with me in the treatment of certain cases, or we must take a long step backward, and do our own dispensing once more. I, for one, feel too old to undertake it."

The above, and thousands of similar commendatory letters from the profession, can be examined at our office.

40,000 PHYSICIANS

are today regularly prescribing the Tonic. Single sample mailed to any physician on application. Should any physician wish to make a thorough test of the Tonic in his practice, send address for our

Special Offer

on the Tonic, as well as on other of our preparations. Retail price of the Tonic, \$1.00 per bottle. Usual discount to the profession. Each bottle contains 100 of the average 5 drop doses. *It is never sold in bulk.*

CONCENTRATED, PROMPT, POWERFUL.

It is kept in stock regularly by all the leading wholesale druggists, but as we furnish no samples through the trade, wholesale or retail, for samples, directions, professional testimonials, price lists, etc., address


I. O. WOODRUFF & CO.,

MANUFACTURING CHEMISTS,

106-108 Fulton Street,

New York City.

Write for it



We are in receipt of a handsome Price List from Parke, Davis & Co. Besides being a price list, the book contains much valuable information of a general character. Ask for a copy.—*The National Medical Review*.

The Price List which Parke, Davis & Co. are now distributing is an admirable catalogue in its completeness, convenience of arrangement, and wealth of miscellaneous information. By all means, write the house for a copy.—*Buffalo Medical Journal*.

Messrs. Parke, Davis & Co.'s Catalogue for 1896 is a most useful book of reference for the practitioner, even if he is not interested in the prices. The lists may be perused to advantage as a reminder, and their arrangement is such that they are readily consulted.—*New York Medical Journal*.

Parke, Davis & Co.'s Price List for the current year is not only a price list, but contains much of value to the prescriber, notably one hundred and eighty-three Notes of Reference, which are illustrated, and which should be reviewed by every medical man.—*Colorado Medical Journal*.

Parke, Davis & Co. are now distributing their Price List for '96. They furnish the market with twenty-nine distinct lines of preparations and six thousand different products. The List is very convenient for reference, admirably printed, and cleverly arranged. No physician should be without one.—*Medical Fortnightly*.

We have just received the Catalogue and Price List of Messrs. Parke, Davis & Co. for 1896, which is something more than a mere commercial list of medicines with prices affixed. It is a book of pharmaceutical information of great value. There are two hundred and eight pages taken up with a list of medicinal preparations. There are five pages devoted to "Digestive Ferments" and "Food Products." There are twenty-eight pages of "Notes of Reference." There are ten pages of "Synonyms," and a full Index. We are thus specific in reference to this book, for we wish to convey to medical practitioners as near as possible a good idea of the exhaustive and painstaking work which has been performed in the making of this Catalogue. A copy will be sent to any physician on request.—*Dietetic and Hygienic Gazette*.

JUST DROP US A POSTAL CARD.

STRICTLY PROFESSIONAL.

HYDROLEINE

(HYDRATED OIL)

Is a purely scientific preparation of Cod Liver Oil for the treatment of Incipient Consumption, Scrofula, Rickets, Bronchitis, Whooping Cough, and all wasting diseases.

Formula—Each Dose Contains: *Pure Norwegian Cod Liver Oil, 80 m. (drops), Distilled Water, 35 m. (drops), Soluble Pancreatin, 5 grains, Soda, $\frac{1}{8}$ grain, Salicylic Acid, $\frac{1}{4}$ grain.*

DOSE.—Two teaspoonfuls alone or mixed with twice quantity of water, to be taken after each meal.

HYDROLEINE is a pancreatized Cod Liver Oil preparation of pure Norwegian Cod Liver Oil (from Lofoten), that is prepared as the direct result of a long series of physiological experiments, conducted by H. C. Bartlett, Ph. D., F. C. S., and G. Overend Drewry, M. D., M. C. R. S., and encouraged with many practical suggestions by Bence Jones and Baron Liebig.

HYDROLEINE is based on sound scientific principles; it is easily digested and assimilated, without producing eructations. Appetite is increased, and that, so far from possessing the unpleasant taste of Cod Liver Oil and its emulsions, **HYDROLEINE** is palatable as milk, and pleasant. The formula is well known and the preparation has received the endorsement of physicians throughout the United States. It is sought to introduce **HYDROLEINE** exclusively on its merits, and for that reason the profession is appealed to only through the columns of medical journals.

SOLD BY DRUGGISTS GENERALLY.

The Charles N. Crittenton Co. Sole agents for the United States, **New York.**

WAMPOLE'S

PERFECTED AND TASTELESS
PREPARATION OF

COD LIVER OIL.

(OL. MORRH. COMP. WAMPOLE)

Contains a solution of the combined alkaloidal and other active medicinal principles, obtainable from one-fourth its volume of pure Cod Liver Oil, the oily or fatty portion being entirely eliminated. These principles are extracted from the oil while it is yet contained in the fresh Cod Livers, and combined with Extract of Malt, Fluid Extract Wild Cherry Bark, and Syrup of Hypophosphites Compound (containing Lime, Soda, Potassium, Iron, Manganese, Quinine and Strychnia).

COPY OF ANALYSIS:

Laboratory of ROBERT G. ECCLES, M. D., Brooklyn, N. Y., April 29th, 1896.
Messrs. HENRY K. WAMPOLE & Co., 441 Green St., Philadelphia, Pa.

GENTLEMEN:—A careful chemical examination of fresh Cod Liver Oil as found in fresh Cod Livers which I obtained direct from the Cod Fish, reveals beyond question the presence of definite alkaloids and other active medicinal principles therein.

An equally careful examination of your Cod Liver Oil Extract, used in the manufacture of your preparation of Cod Liver Oil, demonstrated beyond a peradventure the presence of *these same alkaloids* and the other medicinal substances extracted by me directly from the oil I found in the Cod Livers.

Finally another equally careful analysis of your finished product, "Wampole's Perfected and Tasteless Preparation of Cod Liver Oil," shows in an unquestionable manner the presence therein of *these same alkaloids and medicinal substances* from Cod Liver Oil, together with various hypophosphites, quinine, strychnine, wild cherry, etc.

An examination in detail of your process of manufacture and of the special machinery and apparatus used by you in extracting the combined alkaloidal and other active medicinal principles of Cod Liver Oil convinced me of their efficiency for just such work, and showed the care and pains taken by you to get a pure and useful product.

Very truly yours,

ROBERT G. ECCLES.

The clinical results obtained by the use of Wampole's Preparations will prove its efficacy in diseases and conditions where cod liver oil is indicated, in addition to its valuable tonic and alterative effect, due to its other medicinal ingredients.

Circular matter and samples for trial promptly and cheerfully furnished upon application, free of charge. Prepared solely by

HENRY K. WAMPOLE & CO.,

Manufacturing Pharmacists, No. 441 GREEN ST., PHILADELPHIA, PA